NOTICE TO WATER WELL CONTRACTO The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REGET EIVED

STATE OF OREGON

State Well No. LON

(Please type or print) UU! Silve.

(Do not write abowl/ATER) RESOURCES DEPT Record tion (Please type or print)

(1) OWNER:	(10) LOCATION OF WELL:			
Name Delbert Ellenberger	County Umatilla Driller's well number			
Address Rt. 2 Box98	34 4 Section 19 T. 6N R. 35E W.M.			
Milton-Freewater, Or, 97862	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	Well located 930Ft.N. 105 Ft. W of			
New Well Deepening Reconditioning Abandon Described and procedure in Your 18	property S.E. corner.			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 23 ft.			
Rotary   Driven   Domestic   Industrial   Municipal	Static level 22 ft. below land	surface.	Date 9-	14-81
Dug   Bored   Irrigation Test Well   Other	Artesian pressure lbs. per squa			<del></del>
(b) CASING INSTALLED:  8 " Diam. from 75 ft. to 426 ft. Gage PVC  " Diam. from ft. to ft. Gage ft. Gage PVC  " Diam. from ft. to ft. Gage ft. Gage PVC  PERFORATIONS:  Perforated? F Yes No.	(12) WELL LOG: Diameter of well below casing 10.  Depth drilled 426 ft. Depth of completed well 426 ft.  Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used Chronlar saw		1		
Size of perforations 3/16 in. by 8 in.	MATERIAL Chambal desiration	From	То	SWL
506 perforations from 195 ft. to 426 ft.	Started drilling Cemented gravel	305 305	315	
perforations fromft. toft	Brown clay	315	318	
perforations from ft. to ft.	Cemented gravel	318	328	
(7) SCDEFING.	Brown clay	328	331	
West percent ungamed:   162 El 140	Cemented gravel	331	<b>37</b> 5	23
Manufacturer's Name Model No	Gravel & some clay	375	392	26
Diam. Slot size Set from ft. to ft.	Brown clay	392	402	
Diam. Slot size Set from ft. to ft.	Gravel	402	408	22
	Broken brown rock Brown clay	408 419	419 426	22
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	DI ONIL CLEY	1412	420	
Was a pump test made? 🔂 Yes 🗌 No If yes, by whom?	ν.			
Wield: 132 gal./min. with 20.3ft. drawdown after 3 hrs.				
n n		<u> </u>		
И И И		<b>  </b>		
Bailer test gal./min. with ft. drawdown after hrs.		-		
Artesian flow g.p.m.		<del>                                     </del>		
mperature of water 5 Depth artesian flow encountered ft.	Work started Aug 31 1981 Complete	ed Sen	t. 18	1981
(9) CONSTRUCTION:	Date well drilling machine moved off of well			1981
				2001
Well sealed from land surface toft.  Diameter of well bore to bottom of seal in.	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision.  Materials used and information reported above are true to my best knowledge and belief.			
Diameter of well bore below sealin.	[Signed] (Drilling Machine Operator)	Date	2/	, 19 <i>8]</i>
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. 545			
How was cement grout placed?				
	Water Well Contractor's Certification:			
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used?   Yes   No Plugs Size: location ft.	Name G. L. "Lee" Parr Well Drilling			
Did any strata contain unusable water? ☐ Yes, ☑ No	(Person, firm or corporation) (Type or print)			
Type of water? depth of strata	Address Rt. 3 Box 71 Milton-Freewater, Or			
Method of sealing strata off	[Signed] Stenn J. Jaw			
Was well gravel packed? Tyes No Size of gravel:	(Water Well Conti	_	****************	
Gravel placed from ft. to ft.	Contractor's License No. 720 Date	9-2		108/