ORIGINAL File Original and	ELL REPORT State Well No.	5-19K(1)	
File Original and Duplicate with the STATE ENGINEER, SALEM, OREGON	F OREGON G791 State Permit No. 6	6.85	
(1) OWNER: SALEM, OREGON	(11) WELL TESTS: Drawdown is amount water lowered below static level	level is	
Name Joe E. Myers and Edna Myers	Was a pump test made? Wes No If yes, by whom? Yes	ager	
Address Milton-Freewater	Yield: 128 gal./min. with 95 ft. drawdown after	r 6 hrs.	
<u>Oregon</u>	, ji	99 #61 1/14 H-758 12117 E-88	
(2) LOCATION OF WELL:	"))	
County Umatilla Owner's number, if any—	Bailer test gal./min. with ft. drawdown after	hrs.	
NW 14 SR 14 Section 19 T. 6N R. 35E W.M.	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner	Temperature of watern 5.3 Was a chemical analysis made?	Yes XNo	
417 Ft. South 375 Ft. West of the NE	(12) WELL LOG: Diameter of well inches.		
Corner of the NW1 of the SE1	Depth drilled 200 ft. Depth of completed well	200 ft	
Section 19	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each		
	stratum penetrated, with at least one entry for each change of formation.		
	MATERIAL FRO	M TO	
TYPE OF WORK (check):	soil	L 1.8	
Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	gravel 18		
If abandonment, describe material and procedure in Item 11.	cemented gravel 80		
(4) PROPOSED LISE (about). (5) TYPE OF WELL.			
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Test Gpm.		
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Driven ☐ Cable ☑ Jetted ☐	50 ft 15		
gation X Test Well Other Dug Bored	1±0 " 80		
(6) CASING INSTALLED: Threaded □ Welded □x	200 " 128		
8 "Diam. from 0 ft. to 81 ft. Gage 8td			
"Diam. from ft. to ft. Gage			
"Diam. from ft, to ft. Gage			
24 William 20 William			
(7) PERFORATIONS: Perforated? X Yes No			
Type of perforator used Ace . Torch			
SIZE of perforations in. by 1.8 in.			
90 perforations from30 ft. to80 ft.			
perforations fromft. toft.		-	
perforations fromft. toft.			
perforations from			
perforations from			
(8) SCREENS: Well screen installed ☐ Yes 🔁 No			
aufacturer's Name			
Type Model No	1		
Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.	Work started Mar 1958 Completed Mar	22 1958	
(9) CONSTRUCTION:	(19) DIIMD.		
as well gravel packed? Yes X No Size of gravel:	(13) PUMP:		
Gravel placed from ft. to ft.	Manufacturer's Name		
Was a surface seal provided? ☐ Yes ☐ No To what depth?	Type: H.P.		
Material used in seal—	Well Driller's Statement:		
Did any strata contain unusable water? 🛘 Yes 🏝 No	This well was drilled under my jurisdiction and this report is		
Type of water? Depth of strata	true to the best of my knowledge and belief.		
Method of sealing strata off	NAME Vacor Drilling Co		
(10) WATED LEVELS.	NAME Yager Drilling Co. (Type or print)		
(10) WATER LEVELS: Static level 50 ft. below land surface Date 3-18-58	Address Rt. 3 Box 347-D Walla Walla Wn		
Artesian pressure lbs. per square inch Date	per square inch Date Driller's well number 58-4		
Log Accepted by:	[Signed] Starold James		
[Signed] JOEE Myewate 4/15/58, 19	(Well Drilley)		
(Owner)	License No. 155 Bate 4-14	, 195.8	
(IISE ADDITIONAL S	HEETS IF NECESSARY)		