File Original and First Copy with the STATE ENGINEER,



## WATER WELL REPORT

State Well No. 6N/35-22Q

SALEM, OREGON STATE	OF OREGON APP -6-/3/6 State Permit No. 6-//89	1
(1) OWNER:		a umen a —
Name Herman and John Miller	lowered below static level	
Address Rt3 Box 79	Was a pump test made? See No If yes, by whom? Yager	- · ·
Milton-Freewater, Oregon.	Yield: 115 gal./min. with 124 ft. drawdown after 4 hrs.	·
	" " "	. <u>Jan</u>
(2) LOCATION OF WELL:	Datin task	
County Umatilla Owner's number, if any #2 SW 4SE 4 Section 22 T 6N P 35F	Bailer test gal./min. with ft. drawdown after hrs.	5· <del></del>
W.I. Collins W.I.	M. Artesian flow g.p.m. Date	e dese
Bearing and distance from section or subdivision corner	Temperature of water 54 was a chemical analysis made? Yes Xo	!
590 feet North & 575 feet east from South	(12) WELL LOG: Diameter of well 10 inches,	
My corner Section 22, 6N, 35E.	Depth drilled 200 ft. Depth of completed well 200 ft.	
A CONTRACT OF THE STATE OF THE	Formation: Describe by color, character, size of material and structure, and	!
The state of the s	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.	,
The second secon	MATERIAL	
(3) TYPE OF WORK (check):	Soil Grand To	. ::45'
New Well Deepening Reconditioning Abandon	Clay & C	عد اهم د
bandonment, describe material and procedure in Item 11.	0	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	77 77 77 77 77 77 77 77 77 77 77 77 77	. =-142
	" Some clay 133 175	- 1-
Domestic   Industrial   Municipal   Rotary   Driven   Cable M. Jetted	705 0	- Appropriate the
Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐	200 200 000 000	a dangar s
(6) CASING INSTALLED: Threaded   Welded K		
(b) CASING INSTALLED: Threaded Welded Ki	Well abn - new well to be duled	
" Diam. from	TIO let east 1 this west city	
" Diam. fromft. toft. Gage		
Diani, Hom	WSB, 9/1/60	1
7) PERFORATIONS: Perforated?    Xyes    No		
Type of perforator used . Ace. Torch	The state of the s	( = <del>1944) ( =</del>
IZE of perforations in. by 12 in.		
180 perforations from 12 ft. to 70 ft	4.	elitera.
perforations from ft. to ft	t company of the total	
perforations from ft. to ft		. AP. 7- 2
perforations from ft. to ft		
perforations from ft. to ft	t.	- aur 185
8) SCREENS: Well screen installed Tyes TWO		/ contract and
Famula abunanta DT		at Microsoft
ype Model No.		حشد ء
2. Slot size Set from ft. to ft.		
nam. Slot size Set from ft, to ft.	72, 77	्र इंट्रिक्ट
	t. Work started 2-26-59 19 . Completed 3-19-59 19	نفقة اساد
9) CONSTRUCTION:	(13) PUMP:	•
Jas well gravel packed? Tyes XNo Size of gravel:	Manufacturer's Name	
ravel placed from ft. to ft.	Tuno.	- 4
as a surface seal provided?   Yes No To what depth? ft.	LIP.	e audin.
laterial used in seal—	Well Driller's Statement:	
id any strata contain unusable water?  Yes YNo	This well was drilled under my jurisdiction and this report is	
ethod of realing strate off	true to the best of my knowledge and belief.	
ethod of sealing strata off	NAME Yagar Drilling Co	٠.
10) WATER LEVELS: 21.48' (8-30-60) web	(Person, firm, or corporation) (Type or print)	
tatic level 26 ft. below land surface Date 2-9-59	Address RT.3 Box 347-D Walla Walla Wash.	
rtesian pressure lbs. per square inch Date	-	
	Driller's well number \$\\\\59-4\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	·· 2.5
og Accepted by:	[Signed] Naroll Yager	
Signed] Herman Miller Date May 26, 1959	(Well Driller)	
(Owner)	License No. 155 Date 3-22 19.59	-
L L		