NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORT E VED State Well No. 6N 35K 25CC

of well completion. (Do not write a	bove this line) ESOURCES DEPT UMAT
(1) OWNER:	(10) LOCATION OF WELL: 4544)
Name Dick Spiess	(10) LOCATION OF WELL: 4344
Address 775 Phones 2011/1072	County Umatilla Driller's well number
Address 225 Cherry millow-Tree water	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well ☐ Deepening ☐ Reconditioning 🕻 Abandon ☐	The state of the s
If abandonment, describe material and procedure in Item 12.	(11) WARRED LEVEL OF 1 1 1
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.
Rotary Driven D Domestic W Industrial D Manufacture	Depth at which water was first found 65 ft.
Cable Jetted Johnston Municipal Dug Bored Irrigation Test Well Other	Static level 46 ft. below land surface. Date
CACTAC TAXOLATA	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
10 "Diam from + 1 tt. to 35 14 ft. Gage 0.250	Depth drilled \$3 ft. Depth of completed well \$5 ft.
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of metarials.
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Dug hale 0 34
perforations from ft. to ft.	6" Cosing to Go St.
perforations fromft. toft.	Cement groves 60 85 46
perforations from ft. to ft.	Dun (1 rul 1 h
(7) SCREENS: Well screen installed? Well screen installed? Yes No	Comment Pour
Traile	Caller Coped
Type Model No	
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft.	
· · · · · · · · · · · · · · · · · · ·	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes \(\sigma \) No If yes, by whom? Same	
d: 55 gal./min. with 3/ ft. drawdown after / hrs.	
II	
II	
Bailer test gal./min. with ft. drawdown after hrs.	
sian flow g.p.m.	
perature of water 58 Depth artesian flow encounteredft.	Work started 3-28 19 Completed 3-3/ 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well 3-3/ 1977
Well seal-Material used Co7778 wf	Drilling Machine Operator's Certification:
Well sealed from land surface to 351/2 ft.	This well was constructed under my direct supervision
Diameter of well bore to bottom of seal Dug hale	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	
Number of sacks of cement used in well seal	[Signed] (Drilling Machine Operator) Date 4-3, 19
How was cement grout placed? Dun ped	Drilling Machine Operator's License No
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water? Yes No	Name 5 1.777 171.2R.5 (Jel Deilly Greson, firm or corporation) (Type or print)
Type of water? depth of strata	Address R+ 23 Bax143-A-1 77747 08
Method of sealing strata off	
Was well gravel packed? Yes No Size of gravel:	[Signed]
Gravel placed fromft. toft.	Contractor's License No. 575 Date 4-3- 1977