

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED MAY 27 1968

WATER WELL REPORT

UMAT 4655

STATE OF OREGON

State Well No. 6N/35-26dcc

STATE ENGINEER, SALEM, OREGON

REGISTERED ENGINEER

(Please type or print)

within 30 days from the date of well completion.

SALEM, OREGON

(Do not write above this line)

State Permit No. GR-1413 - GR-1367

(1) OWNER: Mr.

Name Mrs. + Mrs. Aaron J. Weis Address R. 3, Box 268 Appleton Rd. M-J. One

(2) TYPE OF WORK (check):

New Well [] Deepening [x] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

CASING INSTALLED:

8" Diam. from 36 ft. to 78 ft. Gage This well is dug for 8 ft.

PERFORATIONS:

Perforated? [] Yes [x] No

Type of perforator used Cutting tool Size of perforations 1/4 in. by 6" x 8" in. 139 perforations from 30 ft. to 63 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 25 ft. below land surface Date Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [x] No If yes, by whom? Mr. Weis installs his own pump on shallow well pump Bailer test 72 gal./min. with 1 ft. drawdown after 1 hrs. Artesian flow g.p.m. Date Temperature of water 50 Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Mr. Aaron Weis Depth of seal Wants to be below of the ft. Diameter of well bore to bottom of seal ft. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Yamhill Driller's well number 1/4 Section 26D T. 6N R. 35 W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Depth drilled 60 ft. Diameter of well below casing 6" Depth of completed well 108 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Entries include: Clay + gravel Brown mud 60 65 w-, Brown Hard pan 65 87, small pieces of water bearing gravel 87 w-, Brown Hard pan 87 108 w-. Note: Water bearing gravel lots of water hole cleaned up real fast.

Work started 5/16 1968 Completed 5/20 1968 Date well drilling machine moved off of well 5/21 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Rudd W. Davis Date 5/21 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Rudd W. Davis (Person, firm or corporation) (Type or print) Address R. 1, Box 162 M-J. One [Signed] Rudd W. Davis (Water Well Contractor)

Contractor's License No. 139 Date 5/21 1968