

UMAT
4660

RECEIVED
APR 13 1967

36
12
24

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT BY ENGINEER STATE WELL NO. 6N/35-26
STATE OF OREGON
(Please type or print)

(1) OWNER:

Name Walter L. Powell Sr.
Address 13 Box 61 M-F. Ore.

(2) LOCATION OF WELL:

County Umatilla Driller's well number
1/4 Section 26E.T. 6N R. 35 E W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other
(5) TYPE OF WELL:
Rotary Driven Cable Jetted Dug Bored

(6) CASING INSTALLED:

Threaded Welded
8" Diam. from 0 ft. to 36 ft. Gage 277
" Diam. from " ft. to " ft. Gage
" Diam. from " ft. to " ft. Gage

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used Colling Touch
Size of perforations 1/4 in. by 6 in.
108 perforations from 24 ft. to 36 ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.

(8) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Model No.
Diam. Slot size Set from " ft. to " ft.
Diam. Slot size Set from " ft. to " ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Cement
Depth of seal 19 ft. Was a packer used? no
Diameter of well bore to bottom of seal 10" in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel: fine gravel
Gravel placed from " ft. to " ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 11 ft. below land surface Date 4/8/69
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Bailer test 40 gal./min. with 3 ft. drawdown after 2 hrs.
Artesian flow g.p.m. Date
Temperature of water 49 Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 8"
Depth drilled 55 ft. Depth of completed well 55 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Dark soil w/ some gravel	0	5
Cemented gravel	5	14
Brown claypan	14	32
Some water bearing gravel	32	
Brown clay	32 1/2	41
small layer of gravel water	41 1/2	
Brown clay + gravel	41 1/2	55
A good layer of water bearing gravel	55	

Work started 4/6 1967 Completed 4/8 1967
Date well drilling machine moved off of well 4/10 1967

(13) PUMP:

Manufacturer's Name Rudd & Davis
Type: Hand H.P.

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Rudd W. Davis
(Person, firm or corporation) (Type or print)
Address 159 S. Columbia's m-f. Ore.
Drilling Machine Operator's License No. 147
[Signed] Rudd W. Davis
(Water Well Contractor)
Contractor's License No. 159 Date 4/9 1967