NOTICE TO WATER WELL CONTRACTOR The original and first copy
of this report are to be
filed with the

## UMA WATER WELL REPRECEIVED

EED	ე _	1976 <sup>State</sup>	Well	No
		1-1/1)		

STATE OF OREGON (Please type or print)

2n-28E	· —

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Do not write above this Taper RESOURCES tabel Timit No.

(1) OWNER:	(10) LOCATION OF WELL:
Name Don Brown	County Umatilla Driller's well number 4
Address Echo, Oregon	SE 14 NW 14 Section 1 T. 2N R. 28E W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well  Deepening  Reconditioning  Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary Driven Domestic Industrial Municipal	
Cable	Static level ft. below land surface. Date
Dug   Bored   Irrigation & Test Well   Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded □ Welded ■	(12) WELL LOG: Diameter of well below casing
12 "Diam. from +1 ft. to 500 ft. Gage .188	Depth drilled ft. Depth of completed well
	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Tyes T No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strat-
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	
perforations from	
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed?   Yes I No	
Manufacturer's Name	
Type Model No	
Diam Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is	
lowered below static level	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 12/8 19 75 Completed 1/6 197
	Date well drilling machine moved off of well 1/6 1976
(9) CONSTRUCTION:	Date well drilling machine moved out of well 270 1870
Well seal—Material used Neat cement	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision.
Well sealed from XIXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Materials used and information reported above are true to my
Diameter of well bore to bottom of seal151/2 in.	best knowledge and belief.
Diameter of well bore below seal10 in.	[Signed]
Number of sacks of cement used in well seal	Drilling Machine Operator's License No
Number of sacks of bentonite used in well seal	
	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	true to the best of my knowledge and belief.  Name Glen Maddox
Did any strata contain unusable water?  Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address P. O. Drawer P, Moses Lake, Wa. 98837
Method of sealing strata off	He malle
Vas well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed from	Contractor's License No. 555 Date 1/29 1976
navel placed HVIII It. W It.	Commence of American Live