WATER WELL REPORT STATE OF OREGON

MAY 1 7 1985 UMAT 47 09

State Well No. 6 M 35 E-27
State Permit No. 6 A 5

EALEN TOOURCES	
(1) OWNER:	(16) LOCATION OF WELL:
Name Lohn Le-fore	County WM 951/1/ Ce Driller's well number
Address R+4 Box 277	NW 4 NE 4 Section 27 T. 6N R 35 E W.M.
City Milton- Freewater State ORE	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location:
· · · · · · · · · · · · · · · · · · ·	
New Well ■ Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed well.
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level ft. below land surface. Date / O D.S.
Rotary Air ➢ Driven □ Domestic □ Industrial □ Municipal □ Rotary Mud □ Dug □ Irrigation 🔀 Test Well □ Other □	Artesian pressure lbs. per square inch. Date
□ Bored □ Thermal: Withdrawal □ Reinjection □	(12) WELL LOG: Diameter of well below casing 10"
(5) CASING INSTALLED: Steel > Plastic M	Depth drilled /30 ft. Depth of completed well /30 ft.
(5) CASING INSTALLED: Steel Steel Plastic Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show
Diam from t ft to 3 ft. Gauge 250	thickness and nature of each stratum and aquifer penetrated, with at least one entry
	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	
0 "Diam from -10 ft to 130 ft Gauge 5ch 160	MATERIAL From To SWL
Diam. from 19 ft. to 19 ft. Gauge 1021/200	Silt & Boulders 015
(6) PERFORATIONS: , Perforated? □ Yes □ No	Tan Clay & Stravel 15 45
Type of perforator used Rolf +6-	Sand 18' X/rave/5 49 130 30
Size of perforations 5/4 in. by 10/85 in.	100
480 perforations from 730 ft. to -110 ft.	
perforations from	The state of the s
perforations from	
(7) SCREENS: Well screen installed? ☐ Yes No	
Manufacturer's Name	
Type Model No.	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
Drawdown is amount water level is lowered	
below static level	
Wes a pump test made? ☐ Yes ᢂNo If yes, by whom?	
d: gal/min. with ft. drawdown after hrs,	
II " " " " " " " " " " " " " " " " " "	
Air test 300 gal./min. with drill stem at /30 ft. 4 hrs.	
Bailer test gal/min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
Depth artesian flow encountered ft.	Work started 5 - 9 19 85 Completed 5 - 10 - 1985
(9) CONSTRUCTION: Special standards: Yes No	Date well drilling machine moved off of well
Well seal—Material used	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and helief.
Diameter of well bore below seal	[Signed] Date 3, 1965
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)
How was cement grout placed? Duhnped	Drilling Machine Operator's License No.
The state of the s	Water Well Contractor's Certification:
and the state of t	This well was drilled under my jurisdiction and this report is true to
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes □ No Plugs Size: location ft.	Name A COLUM & D. COLUM DV (I reg Tr) (Type or print)
Did any strata contain unusable water? Yes No	Address DEX 124 Her mis for
Type of Water? depth of strata	
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes ► No Size of gravel:	Contractor's License No
Gravel placed from ft. to ft.	