## WATER WELL REPORT STATE OF OREGON

Gravel placed from ...... ft. to .....

(1) OWNER:



## RECEIVED

MAR 17 1981

WATER RESOURCES DEPT State Permit No.

SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:
Name + 1041 HOO Taked	County U7716 1/1/a Driller's well number
Address R+H3 BBY 51	NE 4 N(4) 4 Section 27 T. (1) R. 35 EW.M.
City milton-FreeWater State OR	Tax Lot # Lot Blk Subdivision
	Address at well location:
(2) TYPE OF WORK (check):	
New Well    Deepening □ Reconditioning □ Abandon □	(11) WANDED FENTING OF THE TOTAL OF THE TOTA
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 45 ft.
	Static level $268$ ft. below land surface. Date $2-26-87$
Rotary Mud Dug Domestic Municipal Rotary Mud Dug Dug Trigation Test Well Other	Artesian pressure lbs. per square inch. Date
Cable   Bored   Thermal: Withdrawal   Reinjection	(12) WELL LOG: Diameter of well below casing
(E) CACING INCRAIT ED.	Depth drilled /53 ft. Depth of completed well /51 ft.
(5) CASING INSTALLED: Steel Melded Me	Formation: Describe color, texture, grain size and structure of materials; and show
"Diam from + 1 ft. to 54 ft. Gauge 0.250	thickness and nature of each stratum and aquifer penetrated, with at least one entry
"Diam from ft. to ft. Gauge	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	
	MATERIAL From To SWL
	2011
(6) PERFORATIONS: Perforated? ✓ Yes □ No	GRave 7 C/a 4 15 30
Type of perforator used	Cement Grave 3087
Size of perforations // in. by /o in.	Coment Grovel + C/ay 87 108
\$ 0 perforations from 34 ft. to 54 ft.	Comert G-Ravel + Booken 108 155 30
•	
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed?   Yes No	
Manufacturer's Name	
Type Model No	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
Drawdown is amount water level is lowered	
below static level	
Was a pump test made? ☆ Yes □ No If yes, by whom? > 67)7	
Yield: 300 gal/min with /20ft. drawdown after hrs.	
" " " "	
Air test gal/min. with drill stem at ft. hrs.	
r test gal/min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	, attribut
Temperature of water Depth artesian flow encountered ft.	0.27 ()
(O) CONCEDUCATION	Work started 2 23 19 8   Completed 2 26 198
(9) CONSTRUCTION; Special standards: Yes \( \text{No.} \)	Date well drilling machine moved off of well 2 - 2 ( - 1957)
Well seal—Material used	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] (Drilling Machine Operator) Date 3 / 198
Number of sacks of cement used in well seal	Drilling Machine Operator's License No
How was cement grout placed?	
The state of the s	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)
Did any strata contain unusable water?   Yes No	Address 17 7 3 13 6 X 1 4 3 4 1 277 18 0/2
Type of Water? depth of strata	
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	Contractor's License No. 5.2.5 Date 3 - / - , 19 8

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the