

WATER WELL REPORT

State Well No. 6N/35-27Q(2)
State Permit No. GR-2561

UMAT
4130

RECEIVED
JUL 28 1958
STATE OF OREGON

(1) OWNER: Chris Feigner
Name
Address R.F.D. 2 Box 346 Milton Freewater, OREGON

(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: 400 gal./min. with 5 ft. drawdown after 24 hrs.
" " " " " "
" " " " " "
Ballor test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(2) LOCATION OF WELL:
County Umatilla Owner's number, if any—
SW $\frac{1}{4}$ S.E. $\frac{1}{4}$ Section 27 T. 6N. R. 35 E. W.M.
Bearing and distance from section or subdivision corner
570 ft. W. & 35 ft. N. of the S.E. corner of the S.W. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Sec. 27, Twp. 6 N., Rge. 35 E.

(12) WELL LOG: Diameter of well 8" inches.
Depth drilled 430 ft. Depth of completed well 490 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

(3) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check): (5) TYPE OF WELL:
Domestic Industrial Municipal Rotary Driven
Irrigation Test Well Other Cable Jetted
Dug Bored

(6) CASING INSTALLED: Threaded Welded
9" Diam. from 50 ft. to 60 ft. Gage Standard
" Diam. from " ft. to " ft. Gage
" Diam. from " ft. to " ft. Gage

(7) PERFORATIONS: Perforated? Yes No
Type of perforator used
SIZE of perforations in. by in.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.

(8) SCREENS: Well screen installed Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from " ft. to " ft.
Diam. Slot size Set from " ft. to " ft.

(9) CONSTRUCTION:
Was well gravel packed? Yes No Size of gravel: ft.
Gravel placed from " ft. to " ft.
Was a surface seal provided? Yes No To what depth? ft.
Material used in seal—
Did any strata contain unusable water? Yes No
Type of water? Depth of strata
Method of sealing strata off

(10) WATER LEVELS:
Static level 30 ft. below land surface Date July 20
Artesian pressure lbs. per square inch Date

Log Accepted by: Chris Feigner
[Signed] Chris Feigner Date 7/20/, 1958
(Owner)

MATERIAL	FROM	TO
<u>Concrete rock</u>	<u>50</u>	<u>315</u>
<u>Reddish clay</u>	<u>315</u>	<u>322</u>
<u>Concrete rock greyish lime color</u>	<u>322</u>	<u>350</u>
<u>Concrete rock reddish</u>	<u>350</u>	<u>380</u>
<u>Red clay</u>	<u>380</u>	<u>390</u>
<u>Grey clay</u>	<u>390</u>	<u>420</u>
<u>Greyish Blue clay</u>	<u>420</u>	<u>490</u>

The first 170 ft was drilled by my father George Shortridge & Earl Shortridge drilled the rest.

Work started May 19 1943 Completed May 12 1946

(13) PUMP: Franklin Moore
Manufacturer's Name
Type: Centrifugal H.P. 7 1/2

Well Driller's Statement:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME EARL G. SHORTRIDGE
(Person, firm, or corporation) (Type or print)
Address R2 Box 348 MILTON-FREEWATER
Driller's well number
[Signed] Earl G. Shortridge
(Well Driller)
License No. 156 Date July 20, 1958