ORIGINAL File Original and FILE Original and FILE ORIGINAL	ER WI	ELL REPORT UMAT State Well No.	N/35-	28P(1)	
File Original and Duplicate with the STATE ENGINEER, SALEM, OREGON CTATE FNGINFER	rate ő		- /3	************	
(1) OWNER: SALEM, OREGON		(11) WELL TESTS: Drawdown is amount	water leve		
Name Murre () Oliver		Iowered below static I Was a pump test made? ☐ Yes ☑ No If yes, by who	evel	C1 .18	
Address RICF2 MiltonFreewater, a	re.	Yield: gal./min. with ft. drawdov		hrs.	
	CONTRACTOR OF	" " " " " " " " " " " " " " " " " " "	- :		
(2) LOCATION OF WELL: County (mot) (owner's number, if any-		Rollon toot		VI. 17 17	
SE 45.W, 4 Section 28 T. R. 35	ENV	Artesian flow gai./min. with ft. drawdow	n after	hrs.	
Bearing and distance from section or subdivision corner	W.M.	Temperature of water Was a chemical analysis m	ade? 🔲 Y	es Mo	
Well = 184 - west from apx, 66	1/4	(12) WELL LOG: Diameter of well	118		
South from The N.E. Con of SET of		Depth drilled Dag ft. Depth of completed well ft.			
SW. 1 07 Sec 28, 1p. 61, K.35E:WM		Formation: Describe by color, character, size of material and structure, and			
	<u>6 + 19, 344</u>	stratum penetrated, with at least one entry for each of	the materi hange of	ial in each formation.	
		MATERIAL	FROM	TO	
(3) TYPE OF WORK (check): New Well Deepening □ Reconditioning □ Aba		- Dist	TOP	41	
If abandonment, describe material and procedure in Item 11.	andon 🗌	River Rock + sand	110	24	
PROPOSED USE (check): (5) TYPE OF WE		A. W. Y. POCA FORM	4"	BOTTON	
PROPOSED USE (check): (5) TYPE OF WE					
Irrigation Test Well Cother Cable Jetter	d 🗇				
	d □				
(6) CASING INSTALLED: Through Worldood					
# 8" Diam. from		10 July 20 10 10 10 10 10 10 10 10 10 10 10 10 10		 	
"Diam. fromft. toft. Gage	***************************************	THE PERSON OF TH			
(7) PERFORATIONS.	-		4	· /-	
(1) PERFORATIONS: Perforated? ☐ Yes ☐ Type of perforator used			Carried and Carried		
SIZE of perforations in. by in.	200.00.000				
perforations from ft. to		The state of the s		***	
perforations fromft. toft.					
perforations fromft. toft.					
perforations from ft. to					
SCREENS.		Sales			
Manufacturer's Name		The second secon			
Type Model No.		1.0			
Diam. Slot size Set from ft. to		The state of the s			
m. Slot size Set from ft. to	ft.	Work started February 1952 Completed Fr	bruar	4 1952	
(9) CONSTRUCTION:		(13) PUMP:			
Was well gravel packed? Yes P No Size of gravel:	-	Manufacturer's Name Pacific			
Gravel placed fromft. toft. Was a surface seal provided? Yes You To what depth?ft.		Type: (entrifuge)	I.P. 7	Ž.	
Material used in seal—		Well Driller's Statement:			
Did any strata contain unusable water? 🔲 Yes 🛂 No		This well was drilled under my jurisdiction a	nd thic r	enort to	
Type of water? Depth of strata	2 SEC. (25C. W.)	true to the best of my knowledge and belief.	na mis i	eport is	
Method of sealing strata off		NAME			
(10) WATER LEVELS:		(Person, firm, or corporation) (Type or print)			
Artesian pressure The per square inch. Detail		Address			
Transport For 1994 Cart Date		Driller's well number			
Log Accepted by:		[Signed]			
[Signed] Murrel W llw Bote Jan. 17, 1	9.58	(Well Driller)			
		LACOLIDO INO		4.0	