

WATER WELL REPORT

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
(Please type or print)

UMAT
4879

State Well No. 6N/35E-33 CA
State Permit No. _____

(1) OWNER:

Name William Wondra
Address Rt 2 Box 56
Millon - Freewater, Oregon 97126

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
"e Jetted
1 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
12" Diam. from 12 ft. to 18 ft. Gage 1250
10" Diam. from 72 ft. to 73 ft. Gage 250
" Diam. from _____ ft. to _____ ft. Gage _____

(6) PERFORATIONS:

Perforated? Yes No.
Type of perforator used _____
Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? HW test
Yield: 300 gal./min. with 205 ft. drawdown after 1 hrs.
" " " " " "
" " " " " "
Sailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water 58 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used PORTLAND CEMENT
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 16" in.
Diameter of well bore below seal 10 in.
Number of sacks of cement used in well seal 20 sacks
How was cement grout placed? pumped
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Umatilla Driller's well number _____
NE 1/4 SW 1/4 Section 33 T. 6N R. 35E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 125 ft.
Static level 70 ft. below land surface. Date _____
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 10
Depth drilled 300 ft. Depth of completed well 275 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	2	
Gravel	2	10	
Clay & Broken Basalt	10	150	
Clay & Red Basalt	150	160	H ₂ O
Clay & Broken Basalt	160	250	
Clay & Red Basalt	250	275	H ₂ O
grey clay	275	300	

Work started 3-19 1980 Completed 3-21 1980
Date well drilling machine moved off of well 3-21 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Ladd Howard Date 3-21, 1980
(Drilling Machine Operator)
Drilling Machine Operator's License No. 1345

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Ladd Howard Well Drilling
(Person, firm or corporation) (Type or print)
Address Rt 1 Box 14 Pilot Rock, Oregon 97138
[Signed] Ladd Howard
(Water Well Contractor)
Contractor's License No. 739 Date 3-21-80, 1980