NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

E DTATE OF UREGO-STATE OF OREGON State Well No. State Permit No.

STATE ENGINEER, SALEM, OR PO 10 E VE U (Please type within 30 days from the day) of well completion.	or print) 4 8 5 State Permit P	No	
MAR O 2 1979	<u> </u>		
(1) OWNER: Y'ATLE OF STONE OF DEPT.	(10) LOCATION OF WELL:		
Name CHAS TAX OREGON	County UMS TILLA Driller's well n	umber	
Address 3032 SW HallEY	NW 14 NW 14 Section 33 T. W	R. 35E	W.M.
PENDLETON	Bearing and distance from section or subdivis	ion corner	
(2) TYPE OF WORK (check):			
New Well □ Deepening Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):		۱۳۰۶ ۲٬۶	
Determ D	Depth at which water was first found		ft.
Cable	Static level ft. below land	surface. Date Z	·Z4 -
Dug ☐ Bored ☐ Irrigation Test Well ☐ Other ☐	Artesian pressure lbs. per squa	re inch. Date	
CASING INSTALLED: Threaded Welded	(40) WITH LOG		
	(12) WELL LOG: Diameter of well	below casing	<u>e</u>
"Diam. from Tyling to Gage	Depth drilled //O ft. Depth of comp	leted well [7	<u>5</u> ft.
"Diam from ft. to ft. Gage ft. to ft. Gage ft. to ft. Gage	Formation: Describe color, texture, grain size		
Diant. Hom 1t. to dage	and show thickness and nature of each stratu with at least one entry for each change of forms		
PERFORATIONS: Perforated? ☐ Yes ☐ No.	position of Static Water Level and indicate prin	ncipal water-bearin	g strata
rype of perforator used	MATERIAL	From To	swL
Size of perforations in by in.	CREVEL	65 175	18
perforations from ft. to ft.			
perforations from			
perforations from ft. to ft.			
perdutions from			
(7) SCREENS: Well screen installed? Yes No			
Manufacturer's Name			
Type Model No			
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Pres No If yes, by whom? DRILLE		 	
Vield: 60 gal./min. with 80 ft. drawdown after hrs.		1	
" "		1	
н и и			
Bailer test gal./min. with ft. drawdown after hrs.		† †	
Artesian flow g.p.m.			
aperature of water 55 Depth artesian flow encountered ft.	Work started 2-23 19/9 Complete	ted 2~24	197 9
(9) CONSTRUCTION:	Date well drilling machine moved off of well	2-24	1979
Well seal—Material used	Drilling Machine Operator's Certification	.:	
	This well was constructed under my	direct super	vision.
Well sealed from land surface toft. Diameter of well bore to bottom of seal in.	Materials used and information reported best knowledge and belief.	above are true	to my
Diameter of well bore below spal in.		Date 2 27	1027
Number of sacks of cement used in well seal	(Drilling Machine Operator)	*****	, 10-4
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No.	1017	•••••
Brand name of bentonte			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of waterlbs./100 gals.	This well was drilled under my jurisd	liction and this re	eport is
Was a drive shoe used? Yes No Plugs Size; location ft.	true to the best of my knowledge and be	DO D. DO	
Did any strata contain unusable water? Yes No	Name (Perfor firm or corporation)	(Type or prin	16
Type of water? depth of strata	Address Pindleton one		
Method of sealing strata off	[Signed] Long Burd		
Was well gravel packed? Yes No Size of gravel:	(Water Well Cont	· <u> </u>	
Gravel placed from ft. to ft.	Contractor's License No. 544 Date	2-27	, 19