NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to the filed with the GAY 2 8 1969

TER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310 CIVIL EPPlease type or print) within 30 days from the date of EM. OREGON not write above this line of well completion.

MATI	State Well No. 7N/30 - 10
492)	
	State Permit No.

(1) OWNER: Name Elsie Porter Ross	(11) LOCATION OF WELL: County Umatilla Driller's well number
	£2 0.04
Address 575 71. E. 37th	14 14 Section /6 T. 2H R. 30 E. W.M.
Pendlefon, Migen 97801 (2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well □ Deepening □ Reconditioning ★ Abandon □	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing .7
Rotary Driven Domestic Industrial Municipal	Depth drilled ft. Depth of completed well 173 ft.
Dug ☐ Bored ☐ Irrigation 🕦 Test Well ☐ Other ☐	
CASING INSTALLED: Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
Timedada Worden	with at least one entry for each change of formation. Report each change
nane Diam. fromft. toft. Gage	in position of Static Water Level as drilling proceeds. Note drilling rates.
ft. to ft. Gage	MATERIAL From To SWL
" Diam. from	Kepaung well to special standards
PERFORATIONS: Perforated? Yes No.	alithorized 4-9-691
Type of perforator used	Solid plug placed at 1/6/1, 5-166
Size of perforations in. by in.	in the state of th
ft. to ft.	Pressure Monted weel 5-19-69
perforations from ft. to ft.	un des Miles acces de au 30 tin la st
perforations from ft. to ft.	And president of the second
ft. to ft.	Mount drillel our 7/8 5-22 + 5-23-6
perforations from ft. to ft.	The state of the s
(A) COMMENTO	
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	
Manufacturer's Name	
Type Model No.	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WATER LEVEL: Completed well.	
Static level ft. below land surface Date	
esian pressure 3 lbs. per square inch Date 5-23-69	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	
Vield: gal./min. with ft. drawdown after hrs.	Work started 5- 15 19 69 Completed 5-43 19 69
" " "	Date well drilling machine moved off of well 5-23 1969
" " " "	Drilling Machine Operator's Certification:
	This well was constructed under my direct supervision. Mate-
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported above are true to my best
Artesian flow 200 g.p.m. Date 5-23-69	knowledge and belief.
Temperature of water Was a chemical analysis made? Yes No	[Signed] Willing Machine Operator) Date 5-26, 196?
(10) CONSTRUCTION:	Drilling Machine Operator's License No45-
Well seal-Material used Un disturbed	Diffing Machine Operator's Intense 110
Depth of seal ft.	Water Well Contractor's Certification:
Diameter of well bore to bottom of sealin,	This well was drilled under my jurisdiction and this report is
Were any loose strata cemented off? Yes No Depth Depth	true to the best of my knowledge and belief.
Was a drive shoe used? Yes No	NAME TROY GRIFFIH (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	
Type of water? depth of strata	Address 925 HERMISTON AVE, HERMISTON OREG.
Method of sealing strata off	Trong Wirething
	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No. 65 Date 5-26 , 1969
Gravel placed from ft. to ft.	Contractor's License No Date, 19.57.