State Permit No. ...

NOTICE TO WATER WELL CONTRACTOR

The original and first cop E C E V WATER WELL REPORT UMA T filed with the

SALEM OREGON 97876 P 14 1970

(Please type or print)

(Please type or print)

(Please type or print) state engineer, salem, oregon 9736 P 14 1970 SATE OF OREGON (Please type or print) within 30 days from the set ATE ENGINEER write above this line) of well completion.

SALEM, OREGON	
(1) OWNER:	(11) LOCATION OF WELL:
Name Fack Slusarenko	County Driller's well number
Address	1/4 1/4 Section T. R. W.M.
(a) myrny an want (I I I)	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	well Located 150 ft. N 15ft. W
New Well Deepening Reconditioning Abandon	OF property SE corner
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing +41 8"
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled 144 ft. Depth of completed well 141 ft.
Dug 🗋 Bored 🗍 Irrigation 🗗 Test Well 🗋 Other 📋	Formation: Describe color, texture, grain size and structure of materials;
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratum and aquifer penetrated,
8 " Diam. from 0 ft. to 26 ft. Gage 1285	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.
" Diam. from ft. to ft. Gage	MATERIAL From To SWL
" Diam, from ft. to ft. Gage	Top Scilwith Gravel 0 3
PERFORATIONS: Perforated? Yes (L. NO.	Med Fine Gravel 3 8
Perforated? Yes A. No.	Brown Chinghomerate 8 22
	Coment Gravel (Bussia) 22 41
	Prilling Water 41 43
perforations from ft. to ft.	Brown dem en brave 43 93
perforations from ft. to ft.	Med-Fine Gravel (water) 73 76
perforations fromft. toft.	Brown coment Gravel 76 95
perforations from ft. to ft.	Clean en possibly some water 98 96
(F) CODERING	Brews clay mixed with
(7) SCREENS: Well screen installed? Yes LeNo	Fine Grael-Goone Soud , 96 113
Type Model No.	Cleaner (some water) 113 115
Diam. Slot size Set from ft. to ft.	Brown Clay 115 118
Diam. Slot size Set from ft. to ft.	Fine Gravel + Coance
	Sind in Brush clay (clean) 118 123
(8) WATER LEVEL: Completed well. Static level 3 / ft. below land surface Date 4-22.76	Brown 2/av 123 130 Fine bravel 130 131
	Brown clay 131 139
sian pressure lbs. per square inch Date	Branchine Gravel 139 140
(9) WELL TESTS: Drawdown is amount water level is lowered below static level.	Med Fine Sand Brown 140 141
Was a pump test made? Tes No If yes, by whom? 2, Mailat T	
Yield: 60 gal./min. with 90 ft. drawdown after 4 hrs.	Work started April 13 1970 Completed 22 1970
" " "	Date well drilling machine moved off of well 4-22 1970
" " " " "	Drilling Machine Operator's Certification:
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my direct supervision. Mate-
Artesian flow g.p.m. Date	rials used and information reported above are true to my best knowledge and belief.
Temperature of water 56 Was a chemical analysis made? Yes De No	[Signed] Lowell & Merlett. Date 4-25 1970
	(Drilling Machine Operator)
(10) CONSTRUCTION:	Drilling Machine Operator's License No.
Well seal—Material used BeaToniTe	
Depth of seal 20 ft.	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata cemented off? ☐ Yes ☑ No Depth	NAME LOWELL W. MarlaTT
Did any strata contain unusable water? Yes ANO	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address A. H. J. Box III A MICLESTreewaler
Method of sealing strata off	Lowelland all Jark
	[Signed] (Water Well Contractor)
Was well gravel packed? Yes No Size of gravel:	21.C 11 - 6 - HA
Gravel placed from ft. to ft.	Contractor's License No. Date 7 25 , 19.70