## WATER WELL REPORT STATE OF OREGON



## RECEIVED. .....

2n | 31E-14

JAN 1 1 1984

	1
State Permit No.	######################################

WATER RESOURCES DEPT.

	- ADTONI	
(1) OWNER:	(10) LOCATION OF WELL:	
Name Robert Forth		
Address R+ 2 Rox 2 RA	County Matr// Q Driller's well number	
71,7 7, 5	NE 4 NW 4 Section 14 T. 2N R. 31 E	W.M.
	Tax Lot # Lot Blk Subdivision	
(2) TYPE OF WORK (check):	Address at well location: Reit4	
New Well ■ Deepening □ Reconditioning □ Abandon □		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found / 2	ft.
	Static level 7 / ft. below land surface. Date	
Rotary Air 🙎 Driven 🗆 Domestic 🗗 Industrial 🗆 Municipal 🗆  Rotary Mud 🗆 Dug 🕒 Irrigation 🖂 Test Well 🖂 Other 🖂	Artesian pressure lbs. per square inch. Date	<del></del>
Refary Mud   Dug   Irrigation   Test Well   Other   Reinjection   Reinje		11
(E) CLACINIC INCOMALLED	The state of the s	
(5) CASING INSTALLED: Steel St. Plastic Threaded Welded	Depth drilled // 3 ft. Depth of completed well // Formation: Describe color, texture, grain size and structure of materials;	<u>ク</u> ケ ft.
Threaded Welded Welded Threaded District Office of the Gauge Solution of the Control of the Gauge Solution of the Control of t	thickness and nature of each stratum and aquifer penetrated, with at least	t one entry
"Diam from ft. to ft. Gauge	for each change of formation. Report each change in position of Static Wand indicate principal water-bearing strata.	ater Level
LINER INSTALLED:	and indicate principal water-bearing strata.	
	MATERIAL From To	SWL
ft. Gauge	Clay & grave's 0 15	12
(6) PERFORATIONS: Perforated? ☐ Yes 🗷 No	Brown Basalt 15 49	7
Type of perforator used	Black Basalt 49 85	8
Size of perforations in. by in.	Brown Basaft 85 94	21
perforations from ft. to ft.	Black Esselt 84 103	
perforations from		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed?   Yes  No		
Manufacturer's Name	2 272	
Type		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
8) WELL TESTS: Drawdown is amount water level is lowered below static level		
a pump test made?   Yes  No If yes, by whom?		
gal/min. with ft. drawdown after hrs.		
" " " "	- :::::::::::::::::::::::::::::::::::::	
Air test 45 gal./min. with drill stem at 101 ft. 2 hrs.		
Bailer test gal./min. with ft. drawdown after hrs.	. 87 -52	
ian flow g.p.m.		
Depth artesian flow encountered ft.		
	Work started /- 4 1984 Completed /- 5	19 & 7
9) CONSTRUCTION: Special standards: Yes \( \text{No } \( \text{N} \)	Date well drilling machine moved off of well	1924
Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct supervision. Mater	ials used
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and	d belief.
Diameter of well bore below seal	[Signed] Date	., 19.8.4
Number of sacks of cement used in well seal	Drilling Machine Operator's License No.	
low was cement grout placed? The Empire d		
The second secon	Water Well Contractor's Certification:	
THE GENERAL PROPERTY OF THE PR	This well was drilled under my jurisdiction and this report i	s true to
Vas pump installed? Type HP Depth ft.	the best of my knowledge and belief.	<i>(</i> 2)
Vas a drive shoe used? XYes No Plugs Size: location ft.	Name Discount & Brown Orilling (Person, firm or corporation) (Type or p	Anc.
old any strata contain unusable water? \ \ \ Yes \ \ \ No	Address O So & 134 Herry 15 h	orint)
ype of Water? depth of strata	600	A. P
fethod of sealing strata off	[Signed]	
Vas well gravel packed? ☐ Yes 🙀 No Size of gravel:	(Water Well Contractor)  Contractor's License No	s. c.
ravel placed from ft. to ft.	Contractor a thresher I.Ar	., 19.2/