STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

UMAT 50130

(START CARD)# 76379

Instructions for completing this report are on the last page of this form.					
(1) OWNER: Well Number	(9) LOCATION OF WELL by legal description:				
Name Randy Morton	County Constitute Longitude				
Address R+2 Bax 265	Township 6	N or S Range	35	E or V	V. WM.
City Milton Frewater State OR Zip \$7862					
(2) TYPE OF WORK	Tax Lot 200			ubdivision	
New Well Deepening Alteration (repair/recondition) Abandonment		ell (or nearest address)			Rd
(3) DRILL METHOD:		_ (** ***		<u> </u>	
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATE	R LEVEL:			
	35 ft. below land surface. Date $\frac{1}{2}$				27.
Other (4) PROPOSED USE:	Artesian pressure			Date	-A-A-
	(11) WATER BEAR		THE BICH.		
Domestic Community Industrial Irrigation	(11) WAIER DEAR	ING ZONES.			
Thermal Injection Livestock Other (5) BORE HOLE CONSTRUCTION:	Depth at which water wa	na filmt formal	\supset		
Special Construction approval Yes No Depth of Completed Well 35ft.	Depin at which water wa	as first found	<u> </u>		
	Farm	То	Estimato	d Flow Rate	SWL
Explosives used Yes No Type Amount	From 35	1/0	Estimated	1 Flow Kale	
HOLE SEAL		135			35°
Diameter From To Material From To Sacks or pounds	110	135	30	0	_
12 0 70 Bentack 0 40 27 3KS					
8 40 135					
	(12) WELL LOG:				
How was seal placed: Method A B C D E	Grour	nd Elevation		-	
Other Bentonche Places dry	\[\tag{\chi}	• 1		Т-	CWI
Backfill placed from ft. to ft. Material	Mater	181	From	To	SWL
Gravel placed from ft. to ft. Size of gravel	Sitt	1 00-1-1	2	5	
(6) CASING/LINER:	comente	y graves		35	35
Diameter From To Gauge Steel Plastic Welded Threaded	31173	gravels,	35	110	<u> </u>
Casing: 8 7/ 120 250 1	10000	gravels	110	135	
					/
				-	
Liner:				+	
Final location of shoe(s) / 20			PEAR		F-2
(7) PERFORATIONS/SCREENS:		- III			
Perforations Method Air Perf					
Screens Type Material			<u> 11/14 - 1</u>	996	
From To size Number Diameter size Casing Liner		\A/A+		1 1330	
110 120 7841 240		VVAI	ER RESOL	ACES D	FPT
			SALEM, O	REGON	,.
(8) WELLTESTS: Minimum testing time is 1 hour		18-56 Com		-22	<u>-26</u>
Flowing	(unbonded) Water Wel				
□Pump □Bailer 【Air □Artesian	I certify that the worl	I performed on the con	struction, alter	ation, or aba	indonment
Yield gal/min Drawdown Drill stem at Time	of this well is in complia Materials used and infor	ance with Oregon water a mation reported above a	supply wen co	pest of my kr	anuarus. 10wledge
300+ 135 1hr.	and belief.				
	WWC Number				
	SignedDate				
Temperature of water 56 Depth Artesian Flow Found	(bonded) Water Well C	Constructor Certification	n:		
Was a water analysis done? Yes By whom	Laccept responsibility for the construction, alteration, or abandonment work				vork
Did any strata contain water not suitable for intended use? Too little	performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well				
Salty Muddy Odor Colored Other	performed during this time is in compliance with Olegon water supply wen				
Depth of strata:		Suren			
Deput of strata.	la: , S 🛩	/ Comme		Data	-22