NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORTY

STATE OF OREGON

(Please type or print)

(Do not write above this line)

not in strem index

			ZN/	1	: ,) _
State	Well	No.	.C.N./.	. تلالک	 I.J.Q.,	b.C_

Diane	M.CIT TA	J	restation for the description of the Committee of the Com
State	Permit	No.	***************************************

state	Men M		a.I.X/	 5.0
State	Permit	No.	****************	 P040-

(1) OWNER:	(10) LOCATION OF WELL:		
Name DEAN TONA	County Matula Driller's well no	ımber	==
Address Kt 2 Box 23	SW 14 NW14 Section 16 T. 2N	R. 3/E	W.M.
1 PEN PLET D- 1 189 91868	Bearing and distance from section or subdivisi	on corner	
(2) TYPE OF WORK (check):			
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	1		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	-all	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	<u> </u>		
Rotary Driven Domestic Dandustrial Dandustrial	~ ~	***	n.
	Static level 20 ft. below land s	urface. Date	3 <i>-5-8</i> 0
	Artesian pressure lbs. per squar	e inch. Date	į.
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well h	C	200
10 "Diam. from +2 ft. to 18 ft. Gage 250	- 16-	- 44	
" Diam. fromft. Gage	Depth drilled /85 ft. Depth of comple		ft.
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratum	and structure of	naterials;
(C) DEDEODATIONS	with at least one entry for each change of format	ion. Report each	change in
(6) PERFORATIONS: Perforated? ☐ Yes ☐ No.	position of Static Water Level and indicate prin	cipal water-beari	ng strata.
Type of perforator used	MATERIAL	From To	swl
Size of perforations in. by in.	Soil.	0 6	· · · · · · · · · · · · · · · · · · ·
perforations from ft. to ft.	gravel	6 10	
perforations from ft. to ft.	Black Basaly	10 110	
perforations from ft. to ft.	BARCK Baspartge Tole	110 115	4,0
(7) SCREENS: Well screen installed? I Vos. 15.00.	Black BARATT	115 150	
Wen sereen instanted: 1es 1es	Bores Black Besalv	150 185	4,0
Manufacturer's Name Type Model No			
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
			
(8) WELL TESTS: Drawdown is amount water level is			
as a pump test made? A ves \(\text{No. If yes, by whom? } \)		· -	
field: 500 gol (min mile)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
" " " " " " " " " " " " " " " " " " "	1181 11980 <u></u>		
" " " " " " " " " " " " " " " " " " " "	- SECOUNCES DEPT		· · · · · · · · · · · · · · · · · · ·
	WAIER		
Bailer test gal./min, with ft. drawdown after hrs.	DALEM, WILL		
rtesian flow g.p.m.			
Temperature of water 5 7 Depth artesian flow encountered ft.	Work started 3-4 19 & Complete	a 3-5	19 80
(9) CONSTRUCTION:	Date well drilling machine moved off of well	3-6	19 80
Well seal-Material used ort AND Const	Duilling Machine Operatoris Coulding the		
Well sealed from land surface to 18 ft.	Drilling Machine Operator's Certification: This well was constructed under my	direct cuper	rriai an
Diameter of well have to believe a	Materials used and information reported :	above are true	to my
Diameter of well have below a	best knowledge and belief.	40	Ø.
Number of spains of compart word to make	[Signed] (Drilling Machine Operator)	Date D	, 19. C C
How was cement grout placed?	Drilling Machine Operator's License No	1345	
Section 2 - An Section 2	Water Well Contractor's Certification:		
	This well was drilled under my jurisdic	ction and this r	eport is
Was a drive shoe used? Yes Av Plugs Size: location ft.	true to the best of my knowledge and beli	et. 1 1000	1/+
Did any strata contain unusable water? Yes 410	Name (Person, firm or corporation)	Term or with	4 my
Type of water? depth of strata	Address T Boy 1	or Rack	"O're
Method of sealing strata off			97/16
	[Signed] AND H	-	
D. T. Marketinian	(Water Well Contra	etor)	<i>0</i> -
Gravel placed fromft. toft.	Contractor's License No. 739 Date	<u> </u>	, 19 C
(USE ADDITIONAL SH	EETS IF NECESSARY)	8P	*45656-119