WATER SUPPLY WELL REPORT

STATE OF OREGON

UMAT 50473 MAI

MAR - 5 1997

٨	CI	ŧ	1 1	١.	4	L05072	
77	EL	.L	1.1	ノ. 1	H		

W90209 (START CARD) #

Instructions for	completing this rep	oort are on the last pag	ge of this form	RESOURCES DEP	T				
(1) OWNED.		Well Number	r SA	LEM LOCATION OF		cription:			
Name Jimmy	Bier, Harol	d Bier, Buddy	Bier	County Umati	lla Latitude	Long	itude		
Address Rt	4 Box 743			Township 6 (NOor S Range 35 (E or W. WM.					
City Milton-		State Or	Zip 97862	Section 36	NW 1/4	SE 1	1/4		
(2) TYPE OF W					LotBlock _	Sub	division		
X New Well	Deepening Alterat	tion (repair/recondition)	Abandonment	Street Address of We	ll (or nearest address)	Rt 1 Box	158		
(3) DRILL ME				Miller Rd.;	Milton-Freew	ater, Or.	97862	<u> </u>	
	Rotary Mud	Cable Auger		(10) STATIC WATE	R LEVEL:			_	
Other				38 ft. be	low land surface.	Da	ate 3/1	/97	
(4) PROPOSEI) USE:			Artesian pressure		are inch. Da	ate		
	Community	Industrial X Irrig	ation	(11) WATER BEAR	ING ZONES:	4,157	3		
٠		Livestock Othe		, ,			`%`		
	LE CONSTRUCT			Depth at which water wa	as first found				
		No Depth of Compl	eted Well 105 ft.	•					
		= Amo		From	Estimated	Estimated Flow Rate SWL			
HOLE	_ · · · · · · · · · · · · · · · · · · ·	SEAL		66	94	200+	. <u>3</u> .	38	
Diameter From	To Materia		Sacks or pounds	9 9	105	100+	•	38	
12" 0			1600 lbs						
- -				(12) WELL LOG:					
How was seal place	ced: Method	□A □B □C	\Box \Box \Box \Box \Box \Box		d Elevation	950			
Cther									
Backfill placed from		2 ft. Material	Bentonite	Mater	ial	From	То	SWL	
Gravel placed from		ft. Size of g		Large Grave	1	0	18	0	
(6) CASING/L		<u>_</u>		Cemented Gr	avel	18	66	0	
Diameter		auge Steel Plastic	Welded Threaded	Gravel (Wate	er)	66	94	38 ¹	
Casing: 8	1 1 1	250 🖾 🗆	X	Brown Clay	& Gravel	94	99		
Casing: O				Gravel (Wate		99	105	38 ¹	
Liner: 6" PVC	53 105 ⁸	40 🗆 🗷							
	+ + 1								
Final location of s	shoe(s) 67' f	rom surface							
	TIONS/SCREENS								
Perforations		Saw							
Screens	Туре	Mater	ial						
	Slot3/16		Casing Liner						
From To 53 105	size Number	Diameter size							
	6/ft	*							
	1 1 1								
(8) WELLTES	STS: Minimum te	sting time is 1 hour		Date started 1/22/	97 Cor	npleted 3/1	/97		
(U) TIEELIE				(unbonded) Water We					
Pump	Bailer	∏Air	Flowing Artesian	I certify that the wor	k I performed on the co	nstruction, altera	tion, or aba	indonment	
Yield gal/min	Drawdown	Drill stem at	Time	of this well is in compli- Materials used and info	ance with Oregon water	r supply well con	struction st	tandards.	
125	11 feet		1 hr.	and belief.	madon reported above	are mue to me de	or or my kli	12 4 ICABE	
125	11 feet		4 hr	WWC Number					
167	1, 2000			Signed			Date		
Tomperature of	ater 54 I	Depth Artesian Flow Fo	und	(bonded) Water Weil (Constructor Certificati				
Temperature of w		es By whom		I accept responsibilit	v for the construction,	alteration, or aba	ndonment v	work	
Was a water analy	/sis done? I itain water not suitab		Too little	performed on this well	during the construction	dates reported ab	ove. All w	∕ork	
		Colored Other	_	performed during this ti construction standards.	me is in compliance wi This report is true to th	th Oregon water e best of mv kno	suppiy well wledge and	ı i belief.	
				۱ . ۸	A A	WWC Num	77		
Depth of strata:				Signed Thomas	1817.10.			1/97	
				1 5.5.100	A LANGE CONTRACTOR OF THE PARTY		· <u>/</u>		