

UMAT 512 UMAT 512

RECEIVED
MAR 1 1966
STATE ENGINEER

Telephone Call from 2N/32E-900
Paul Rydman
10/15/71
State Well No. 24/31-36-9

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the
STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.

WATER WELL REPORT
STATE OF OREGON
(Please type or print)

State Permit No.

(1) OWNER:
Name CITY OF PENDLETON
Address PENDLETON, ORE

(2) LOCATION OF WELL:
County UMATILLA Driller's well number 4222
NW 1/4 NW 1/4 Section 36 T. 2N R. 31E W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandonment
Temporary
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):
Domestic Industrial Municipal Irrigation Test Well Other
(5) TYPE OF WELL:
Rotary Cable Dug Driven Jetted Bored

(6) CASING INSTALLED:
30" Diam. from 0 ft. to 8 ft. Gage 375
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:
Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:
Well screen installed? Yes No
Manufacturer's Name
Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:
Well seal—Material used in seal
Depth of seal ft. Was a packer used?
Diameter of well bore to bottom of seal in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:
Static level 99 ft. below land surface Date 1/19/66
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
APROX 700 GPM WITH "AIR"
" " " " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG:
Diameter of well below casing 8
Depth drilled 357 ft. Depth of completed well 357 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL GRAVEL AND BOULDERS	0	8
HARD GREY BASALT	8	28
MED. HARD GREY BASALT	28	97
RED LAVA	97	102
MED HARD GREY BASALT	102	160
BROWN BROKEN BASALT	160	187
MED. HARD BLACK BASALT	187	208
HARD GREY BASALT	208	225
BROKEN GREY BASALT (WATER)	225	246
HARD GREY BASALT	246	260
BROWN BROKEN LAVA (WATER)	260	285
REDDISH BROWN LAVA	285	324
MED. HARD BLACK BASALT	324	330
HARD GREY BASALT	330	338
BROWN BROKEN LAVA (WATER)	338	352
HARD GREY BASALT	352	357

(A CEMENT PLUG HAS BEEN PLACED IN 8 INCH HOLE AT 20-22 IN LEVEL, THEN A LID WELDED ON THE 30 INCH CASING)

Work started NOV 15 1965 Completed JAN 20 1966
Date well drilling machine moved off of well JAN 20 1966


(13) PUMP:
Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME RJ STRASSER DRILLING CO
(Person, firm or corporation) (Type or print)
Address 8110 SE SWANET LANE PORTLAND ORE
Drilling Machine Operator's License No. 56 AND 395
[Signed] Robert L. Strasser
(Water Well Contractor)
Contractor's License No. 10 Date FEB 25 1966

top of the surface casings. I readily agreed with Mr. Sceva as to his suggestion and this procedure was effected on Friday, January 21, 1966. Thus the final temporary abandonment consists of a 30" pipe placed to rock with a ten inch casing grouted inside it to a depth of 10 feet, and a cement plug two foot thick placed from 18 feet to 20 feet in the 10" open rock hole.

I wish to thank you and Jack Sceva for this variance. A practical decision and suggestion such as this elevates further my esteem and regard for you and Jack.

Very truly yours,



Robert L. Strasser, partner
R. J. STRASSER DRILLING CO.

cc: Mr. Ray Struthers, Water Supt.
City of Pendleton, Oregon

UMAT 512



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Application for Well ID Number

Do not complete if the well already has a Well I.D Number.

I. OWNER INFORMATION

Current Owner Name (please print): City of Pendleton
Mailing Address: 500 SW Dorion Ave.
City: Pendleton State: OR Zip: 97801
Mailing Address (to send Well I.D.): _____
City: _____ State: _____ Zip: _____

II. WELL INFORMATION (Do not complete this section if the well report is attached.) WWT P Well # 11

Township: 2N (North/South) Range: 32E (East/West) Section: 8 9
Tax Lot: 700 County: Umatilla SE 1/4 NE 1/4
Street Address of Well: 4255 SW 28th Dr. City: Pendleton
Owner at time the well was constructed, (if known): City of Pendleton
If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION (Do not complete this section if the well report is attached)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): municipal
Date Well Constructed: 1966 Total Well Depth: 357 ft. Casing Diameter: 30" - 8'
Other Information: _____

SUBMITTED BY (please print): Karen King, Regulatory Specialist, City
PHONE: 541-966-0249 FAX: 541-966-0251

RECEIVED BY OWRD

Send application to Oregon Water Resources Department; 725 Summer St NE, Suite A; Salem, Oregon 97301-1266; Fax (503) 986-0902. Applications are processed and Well I.D. Numbers are mailed every Wednesday.

MAY 06 2013

SALEM, OR

<i>For Official Use Only by the Oregon Water Resources Department:</i>		
Received Date: <u>5-6-13</u>	Well Log Number: <u>UMAT 512</u>	Well Identification #: <u>L-94961</u>