NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date

Bailer test

Type of water?

Rotary

Cable

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

	Well No. 6N/35E-36C
UMAT\State	Well No. 27703 C Do C
5132/State	Permit No.

of well completion.

	The state of the s		
(1) OWNER:	(10) LOCATION OF WELL:		
NameL.D.S. Church Bishop Charles Akes	County Umatilla Driller's well number		
Address Rt # 3 Box 45 A	SW 1/2 SW 1/2 Section 36 T. 6N	R. 35 E W.M.	
Milton-Freewater, OR 97862	Bearing and distance from section or subdivisi		
(2) TYPE OF WORK (check):		A. A	
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 67 ft.		
Rotary Driven Domestic Industrial Municipal	Static level 120 ft, below land s	surface. Date 3-9-79	
Bored ☐ Irrigation X Test Well ☐ Other ☐	Artesian pressure lbs. per squar		
CASING INSTALLED: Threaded Welded			
	\$	below casing 8	
"Diam. fromft. toft. Gage	Depth drilled 260 ft. Depth of compl	eted well 260 ft.	
" Diam. fromft. to	Formation: Describe color, texture, grain size	and structure of materials;	
	and show thickness and nature of each stratu with at least one entry for each change of forma	tion. Report each change in	
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal water-bearing strata.	
Type of perforator used Torch	MATERIAL	From To SWL	
Size of perforations 3/8 in. by 6 in.	Soil, Gravel, Boulders	0 10	
80 perforations from 238 ft. to 258 ft.	Clay, Gravel, Boulders	10 80	
perforations from ft. to ft.	Cement, Gravel & Boulders	80 160	
perforations from ft. to ft.	Boulders	160 170 100GI	
(7) SCREENS: Well screen installed? Yes No	Cement, Gravel & boulders	170 260 300GI	
Manufacturer's Name		120	
Type Model No.	_ 1		
Diam. Slot size Set from ft. to ft.	ā-		
Diam. Slot size ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is			
lowered below static level	RECEIVED		
Was a pump test made? 🗌 Yes 🙀 No If yes, by whom?	WLOFIATO		
eld: gal./min. with ft. drawdown after hrs.	MAR 2 8 1979		
n " " " " " " " " " " " " " " " " " " "			
# # # # # # # # # # # # # # # # # # #	WATER RESOURCES DEPT.		
Bailer test gal./min. with ft. drawdown after hrs.	SALEM, OREGON		
rtesian flow g.p.m.			
emperature of water Depth artesian flow encountered ft.	Work started 3-6-7919 Complete	ed 3-9-79 19	
(a) CONSERDICATION	Date well drilling machine moved off of well	3-9-79	
(9) CONSTRUCTION:	*		
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my	direct supervision	
Well sealed from land surface to	Materials used and information reported	above are true to my	
Diameter of well bore below seal	best knowledge and helief.	7 7 5 7 6	
Number of sacks of cement used in well seal	[Signed] Out Hou	Date3157,99	
Now was cement grout placed? Pumped	Drilling Machine Operator's License No.		
	Water Well Contractor's Certification:	9 wn.	
	This well was drilled under my jurisdi true to the best of my knowledge and beli	ction and this report is	
Vas a drive shoe used? 🙀 Yes 🗌 No Plugs Size: location ft.			
Did any strata contain unusable water? Yes No	Name C. W. Summers Well Dri	1 11 no print)	
ype of water? depth of strata	Address RT # 3 Box # 143*A-1	м&н УВ 97862	
Method of sealing strata off	[Signed]	la turning	
Vas well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Contr.	actor Ministeria	
ravel placed fromft. toft.	Contractor's License No. 575 Date	3-15-79 19	
	(EETS IF NECESSARY)	SP*45656-119	