## NOTICE TO WATER WELL CONTRACTOR

## WATER WELL REPORT

			6N/36-27	A
State	Well	No.	100-21	_

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

JAN 18 STATE OF OREGON

	The state of the s	G-4602 State Permit No.	***************************************	
Name H. Tremayne Rea		(11) WELL TESTS: Drawdown is amount lowered below static lews a pump test made? Here I No If yes, by whom	water leve evel m? Dril	l is ler
Address Route 3, Birch Creek		Yield: 350 gal./min. with 30 ft. drawdow		6 hrs.
Walla Walla, Washing	ton	" 250 " 15 "		**
		1)		,,
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdov	wn after	hrs.
County Umatilla Driller's well		Artesian flow g.p.m. Date		-
NE ¼ NE ¼ Section 27 T.	6 N <sub>R.</sub> 36 E <sub>W.M.</sub>	Temperature of water 61 Was a chemical analysis	made? 🗍	Yes No
Bearing and distance from section or subdivision				2 11
141 South; West 267 from		(12) WELL LOG: Diameter of well below of	asing	<u>C.</u>
Section 27 T. 6 N R. 36 E	.W.M.	Depth drilled 760 ft. Depth of completed w		
- C. Salan, and		Formation: Describe by color, character, size of materishow thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each of	al and stru the mater change of	icture, and ial in each formation.
		MATERIAL	FROM	то
(3) TYPE OF WORK (check):		Top Soil	0	13
77	litioning	Solid Brown Basalt	13	21
andonment, describe material and procedu		Broken Brown Basalt	72	89
		Hard Brown Basalt	89	121
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	Gray Basalt	121	302
Domestic 💆 Industrial 🔲 Municipal 🔲	Rotary 🙀 Driven 🗌 Cable 🛣 Jetted 🗌	Soft Gray Basalt	302	306
Irrigation  Test Well  Other	Cable 🛣 Jetted 🗌 Dug 🗍 Bored 🗍	Decomposed Red Basalt	306	334
		Light Brown Basalt	334	339
(6) CASING INSTALLED: Thr	eaded 🗌 Welded 🍱	Gray Basalt	339	496
12 " Diam. from Surface ft. to	1.06 ft. Gage250	Brown Basalt	496	514
ft, to	ft. Gage	Dark Gray Basalt	514	717
ft, to	ft. Gage	Red Honeycomb Basalt	717	724
(-)	Y	Gray Honeycomb Basalt (Water)	724	735
(,) = ==================================	forated? 🗌 Yes 🛗 No	Hard Brown Basalt	735	760
Type of perforator used		Trock of the property of	+122	100
Size of perforations in. by	in.			
perforations from			1	
perforations from				1
perforations from				
perforations from				
perforations from	ft. to ft.			
(8) SCREENS: Well screen ins	talled 🗌 Yes 🐰 No			
Manufacturer's Name				
	del No			
Slot size Set from	ft. to ft.	Work started 20 May 19 64 Completed 20	Nov-	19 64
Diam Slot size Set from	ft, toft.	Date well drilling machine moved off of well 2 De		19.64
(9) CONSTRUCTION:		(13) PUMP:		
Well seal-Material used in seal Bento	nite	Manufacturer's Name Universal	***************************************	
Depth of seal 50 ft. Was a pa	cker used? No	Type: Submersible	H.P	5
Diameter of well bore to bottom of seal 2	_			
Were any loose strata cemented off?   Yes		Water Well Contractor's Certification:		
Was a drive shoe used?   Yes □ No		This well was drilled under my jurisdiction	and this	report is
Was well gravel packed? ☐ Yes ☐ No Size	of gravel:	true to the best of my knowledge and belief.		
Gravel placed from ft. to		NAME Thomas R. Ruther		
id any strata contain unusable water?	es 🖟 No	(Person, firm or corporation)	Type or pr	
pe of water? Depth of s		Address Route 3- Circle Drive; Wal	la Wal	la, Was
hod of sealing strata off		Drilling Machine Operator's License No. 138		
		Drilling Machine Operator's License No.		
WATER LEVELS:	TT AA 40.	[Signed] Komos IV Weethe		<b>)</b>
level 275 ft. below land	surface Date Nov. 20, 196	(Water Well Contractor)		
pressure lbs. per squa	are inch Date	Contractor's License No. 374 Date 14	Jan.	, <sub>19</sub> 65