NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 7310 WATER WELL REPORT WITHIN 30 days from the date of well completion. Of well completion.

State	Well	Νo	6N	136	 30	ec
State	Well	No.	92.13		 	*****

UMAT 5213

of well completion.	G-4936 State Permit No.	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water lowered below static level	r level is
Name HomeRJ, MeCauley	Was a pump test made? ☐ Yes ✓ No If yes, by whom?	
Address 732 VEL ENCIEST.	Yield: gal./min. with ft. drawdown af	ter hrs.
WELLE WELLE, Work, (Temps.)	" "	
(2) LOCATION OF WELL:	" "	1,3
• • •	Bailer test 25 gal./min. with 0 ft. drawdown	after hrs.
County 1/m & C/LL& Driller's well number	Artesian flow g.p.m. Date	
1/4 Section 30 T. 6 A/ R. 3 6 W.M.	Temperature of water 44. 9 Was a chemical analysis made	? 🗆 Yes 🔲 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing	G'
So. W. gwenter S.	120	1 1-
	Depth drilled & J ft. Depth of completed well	6.7 ft.
	Formation: Describe by color, character, size of material and show thickness of aquifers and the kind and nature of the n stratum penetrated, with at least one entry for each chang	i structure, and naterial in each
	stratum penetrated, with at least one entry for each chang	e of formation.
	MATERIAL FR	OT MO
(3) TYPE OF WORK (check):	Basim Les sul	9 9
New Well	you can be a second	
andonment, describe material and procedure in Item 12.	List beaun sull sail	1 29
(A) DDODOGED LIGE (AL. AL) (E) MADE OF TABLE		
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Lorar Pamenteck Monet 2	9 48
Domestic Industrial Municipal Rotary Driven Cable I Jetted		
Irrigation Test Well Other Dug Bored	Brown Nowl Pan 4	8 665
(6) CASING INSTALLED: Threaded Welded	10000	
	Land Crewilliales low	web
"Diam. from O ft. to 4 ft. Gage 25	Dank de Oliver	
ft. to ft. Gage	20100000	165
ft. Gageft.	later 1	7
(7) PERFORATIONS: Perforated? If Yes No	11,00	
Type of perforator used Culting lovel	La La Land	
Size of perforations (in. by 6" to 8" in. length care	1 NA SAN AS	
perforations from ft. to ft.	god all and 3	
perforations from 48 ft. to 63 ft.	1000	-
75 perforations from the to	for John 13	
perforations from ft. to ft.	1.40 000	
perforations from ft. to ft.	700-101	
(0) ((0) 177)((100	-
(8) SCREENS: Well screen installed? Yes No	7'	
Manufacturer's Name		
Model No.	,	
D Slot size Set from ft. to ft.	Work started 11/23 19 66 Completed 12/	2 1966
Diam, Slot size Set from ft. to ft.	Date well drilling machine moved off of well 12	1960
(9) CONSTRUCTION:	(13) PUMP: Dump to turnel	wat
D T.	a ester doll	
Well seal—Material used in seal	Manufacturer's Name	
Depth of seal	Type:	***************************************
Diameter of well bore to bottom of sealin.	Water Well Contractor's Certification:	
Were any loose strata cemented off? [] Yes [] No Depth		
Was a drive shoe used? ✓ Yes ☐ No	This well was drilled under my jurisdiction and true to the best of my knowledge and belief.	this report is
was well gravel packed? Yes I No Size of gravel:	R. 1 11/17 O	
Gravel placed from	NAME / Ud. Q W. D &V/S	
Did any strata contain unusable water? Yes No	(Person, firm or corporation) Address 1295, Calumbia, M-	print)
Type of water? depth of strata	Address 19/1/2/2017076, 8/12	عصرت رب
Method of sealing strata off	Drilling Machine Operator's License No. 147	7
(10) WATER LEVELS:	The state of the s	
11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	[Signed] Thus was your	
Static level 45 ft. below land surface Date 12/2/66	(Water Well Contractor) Contractor's License No. 129 Date 12/5	1
Artesian pressure lbs. per square inch Date	Contractor's License No. Date	19 4