NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT CEIVED

STATE OF OREGON

JUN-61977 State Well No. 6N/36E-31bc

(Please type or print) Do not write above this line ?? RESOURCES State Permit No.

	CALEM OPECON -
(1) OWNER: /	(10) LOCATION OF WELL:
Namejus Lawpercewti m7110VS	1. 1. 1.
Address PHH 136 × 149	
milton-Freeworker, OR 47862	SW 14 NW 1/4 Section 3/ T. GN R. 36 E W
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well ☐ Deepening ▼ Reconditioning ✓ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	(44) 7774 7777 7 77777
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.
Rotary M Driven C	Depth at which water was first found
Cable Domestic Industrial Municipal	Static level 28 ft. below land surface. Date 5-18
Dug   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded   Welded	(19) YERY I LOG
"Diam. from + / tt. to 64 tt. Gage 0,250	(12) WELL LOG: Diameter of well below casing
" Diam. fromft. toft. Gage	Deput direct // It. Depth of completed wen
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materi
A JEDUCA A MYONG	and show thickness and nature of each stratum and aquifer penetral with at least one entry for each change of formation. Report each change
PERFORATIONS: Perforated? 12 Yes   No.	position of Static Water Level and indicate principal water-bearing stra
Type of perforator used	MATERIAL From To SWI
Size of perforations in. by in.	CROVEL + Brolders 25 77
64 perforations from 40 ft. to 60ft.	GRUVE! 77186 27 40
perforations fromft. toft.	6-120 vel, Cement 40 87 28
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Ves VNo	
(1) SCREENS: Well screen installed?   Yes X No Manufacturer's Name	
TypeModel No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? 🗌 Yes 🗌 No If yes, by whom?	
gal./min. with ft. drawdown after hrs.	
" " The Angel of the T	and an extra section of the section
" " " "	
to the second se	タイプ カル 大学を選択 機
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
erature of water Depth artesian flow encountered ft.	Work started 5-/0 - 1977 Completed 5-/7 - 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 5-18 19
Well seal—Material used Bev to vite	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision
Diameter of well bore to bottom of seal	Materials used and information reported above are true to n
Diameter of well bore below seal	best knowledge and belief.
Number of sacks of cement used in well sealsacks	[Signed] (Drilling Machine Operator) Date 5-23, 197
Now was cement grout placed?	Drilling Machine Operator's License No. 52
The state of the s	The state of the s
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report true to the best of my knowledge and belief.
Was a drive shoe used? 📈 Yes 🗌 No Plugs Size: location ft.	
Old any strata contain unusable water? 🗌 Yes 🗌 No	Name C. W. S. 4. 727. 727.257. S. Well Dir. Il Inf. (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 17+4/3 13 0x 14/3-4-1 771 +7, 012
Method of sealing strata off	
Vas well gravel packed? ☐ Yes ☑ No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed fromft. toft.	Contractor's License No. 5-25 Date 5-23- 197
It.	19c. Date 19c.