NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPÖRT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON OCT 06 1989 State Well No. (Please type or print) (Do not write above this line) RESOURCES DEPT.

| | OATEM ODEROM |
|--|--|
| (1) OWNER: STRET CARD # 1494 | (10) LOCATION OF WELL: |
| Name CITY OF ADIAMS | County UMATILLA Driller's well number |
| Address ADAMS OR BOX 20 | SW 14 NE 14 Section 4 T. 3 R. 34 E W.M. |
| 97810 | Bearing and distance from section or subdivision corner |
| (2) TYPE OF WORK (check): | CENTER + MORRISON ST |
| New Well □ Deepening □ Reconditioning □ Abandon 🗶 | ADAME OR |
| If abandonment, describe material and procedure in Item 12. | (11) WATER LEVEL: Completed well. |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | |
| Rotary Driven Domestic Industrial Municipal | Depth at which water was first found ft. |
| C L Jetted L | Static level ft. below land surface. Date |
| Bored Irrigation Test Well Other | Artesian pressurelbs. per square inch. Date |
| (5) CASING INSTALLED: Threaded □ Welded □ | (12) WELL LOG: Diameter of well below casing |
| | Depth drilled 177 ft. Depth of completed well 177 ft. |
| " Diam. fromft. toft. Gage | Formation: Describe color, texture, grain size and structure of materials; |
| " Diam. from ft. to ft. Gage | and show thickness and nature of each stratum and aquifer penetrated, |
| (6) PERFORATIONS: Perforated? Yes No. | with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. |
| (0) PERFORATIONS: Perforated? Yes No. Type of perforator used | MATERIAL From To SWL |
| | 1 100 mm and 100 mm an |
| <u> </u> | WITH NEAT CEMENT |
| perforations fromft. toft. | WITH NEAT CEVIEN |
| perforations fromft. toft. perforations fromft. toft. | CEMENT WAS PLACED |
| | FROM THE BOTTOM |
| (7) SCREENS: Well screen installed? Yes No | UPWARD USING AH |
| Manufacturer's Name | INJECTION LINE 4 |
| Type Model No | A GROUT PUMP |
| Diam. Slot size Set from ft. to ft. | 786 |
| Diam. Slot size Set from ft. to ft. | 102 YOS WERE DUMPED |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | TO BRING IT TO GRIVNO LEVEL |
| a pump test made? Yes No If yes, by whom? | |
| rield: gal./min. with ft. drawdown after hrs. | |
| " " " " " | |
| п п п | and the second s |
| The state of the s | |
| Bailer test gal./min. with ft. drawdown after hrs. | |
| esian flow g.p.m. | 0 11 00 |
| Temperature of water Depth artesian flow encountered | Work started 9-11- 1989 Completed 9-11 1989 |
| (9) CONSTRUCTION: | Date well drilling machine moved off of well $q - 11$ 19 θq |
| Well seal—Material used | Drilling Machine Operator's Certification: |
| Well sealed from land surface to \overline{LD} , $\overline{L77}$ ft. | This well was constructed under my direct supervision. Materials used and information reported above are true to my |
| Diameter of well bore to bottom of sealin. | hest knowledge and helief |
| Diameter of well bore below sealin. | [Signed] Christian Machine Operator) [Signed] OCT 2, 19 89 |
| Number of sacks of cement used in well seal | Drilling Machine Operator's License No. W. W. C. 534 |
| Number of sacks of bentonite used in well seal sacks | Diffing Machine Operator's License No. 42 - 44 - 44 - 44 - 44 - 44 - 44 - 44 |
| Brand name of bentonite | Water Well Contractor's Certification: |
| Number of pounds of bentonite per 100 gallons | This well was drilled under my jurisdiction and this report is |
| of waterlbs./100 gals. Was a drive shoe used? Yes No Plugs Size: location ft. | true to the best of my knowledge and belief. |
| Did any strata contain unusable water? Yes No | Name Halman DRILLING CORP. (Person, firm or corporation) (Type or print) |
| Type of water? depth of strata | Address E3410 97 H AUF SPOKANE WA |
| Method of sealing strata off | P 01 CA/00 99202 |
| | [Signed] (Water Well Contractor) |
| Was well gravel packed? Yes No Size of gravel: | Contractor's License No. 4 wa 554 Oct 2 1989 |
| Gravel placed from ft. to ft. | Contractor's License No. 1991 |