STATE OF OREGON

WATER SUPPLY WELL REPORT

WELL I.D. #L 50237 START CARD # 158268

Instructions for o	completing this re	port are on the last p	page of this form.		SIARI CARI)# <u>1920</u>	(60	
(1) LAND OWNER Well Number				(9) LOCATION OF WELL by legal description: County Uma 1/6 Latitude Longitude				
	Box 802							
	Rock		Township / N of SRange 32 For W. WM. Section 9 NE 1/4 NW 1/4					
(2) TYPE QF Y			Tax Lot Lot Block Subdivision					
New Well X I	Deepening Alte	ration (repair/recondition	Street Address of Well (or nearest address) 6748 44 395 N					
7				Street Address of	Well (or nearest addres	PILOT RO	el OR	<u>s io</u>
(3) DRILL ME		Sable	(10) STATIC WAT					
Rotary Air Rotary Mud Cable Auger Other				(10) STATIC WAT	elow land surface.		Date 9-	17-03
	NUCE		Artesian pressurelb. per square inch					
(4) PROPOSEI) USE: Community □ Inc	lustrial Irrigation	(11) WATER BEARING ZONES:					
☐ Thermal ☐ ☐	Injection Liv	vestock Other	1 ` `					
	LE CONSTRUC		Depth at which water was first found290 '					
Special Constructi	on approval \(\subseteq \text{Yes}	No Depth of Co	From To Estimated Flow Rate SWL					
		2Am	290 310		50 94			
HOLE	,.	SEAL	335	350	75			
Diameter From To Material From To Sacks or pounds				405	420	100		
6" 265	504							
								V
				40 1151 1 00	l			<u> </u>
How was seal placed: Method \Box A \Box B \Box C \Box D \Box E Ground Elevation								
Other				Gio	und Elevation			
	omft. to	ft. Materia	l	Mate	rial	From	То	SWL
	nft. to		gravel	Black Basalt		265	290	
(6) CASING/LI				Black+Brown				
Diameter		auge Steel Plastic	Welded Threaded	W/yellow C/		290	310	941
Casing:				Black Basa	14	310	335	
				Black + Brown				
	4/17			Clay St	one	335	350	941
				Black Basal		350	360	
Liner:	 			BACK+Brown	n Basalt	360	365	
D-1 Ch		D		Black Basal		365	405	0.11
Drive Shoe used ☐ Inside ☐ Outside ☐ None Final location of shoe(s)				Black + Brow		405	420	941
	TIONS/SCREEN	JS:	·	Black Base	2 <i>H</i>	420 -	504	
☐ Perforations					OF:			
☐ Screens	Туре	Mate	RECEIVED					
	Slot	Tele/pip						
From To	size Number	Diameter size	Casing Liner	I SF	P 3 0 2003			
	<u> </u>)	_ U U	l			-	-
	NH		_ U U	WATER	RESCURCES DE	P 7 	-	
				SAL	EM, OREGON		 	
				L			1. 0.	
(8) WELL TESTS: Minimum testing time is 1 hour				Date started 9-8-03 Completed 9-17-03				
Flowing □ Pump □ Bailer				(unbonded) Water Well Constructor Certification:				
Yield gal/min Drawdown Drill stem at Time					rk I performed on the			
	100 + 500 I hr.		ment of this well is in co standards. Materials use					
100 +		450		knowledge and belief.			. 170	0
100 400				Signed amas HM Curdy WWC Number 1700 Date 9-17-03				
1000				1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				
Temperature of wa		Depth Artesian Flow F	(bonded) Water Well Constructor Certification:					
Was a water analys		s By whom	I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work					
•		ble for intended use?	performed during this time is in compliance with Oregon water supply well					
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other Depth of strata:				construction standards. This report is true to the best of my knowledge and belief. WWC Number				
Depth of strata:	<u> </u>	· · · · · · · · · · · · · · · · · · ·	Signed James	Bund	W WC Nu		-17-03	
				/	1			