. \*LY WELL REPORT , ...red by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	83479	
START CARD#	197020	

<u>thename</u>	17
(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description)
First Name RICHARD Last Name SMITH	County Umatilla Twp 4.00 N N/S Range 30.00 E E/W W
Company	Sec 3 (SANE 1/4 of the SSE 1/4 Tax Lot 401
Address 980 E HURLBURT AVE	Tax Map Number Lot
City HERMISTON State OR Zip 97838	Lat °0 ' "or DMS or DD
	Long ° 0 ' " or DMS or DD
2) TYPE OF WORK New Well Deepening Conversion	Street address of well Nearest address
Alteration (repair/recondition) Abandonment	( Succe address of well ( Nearest address
3) DRILL METHOD	SOUTH @ MILE POST 2 ON KOZMOS RD
Rotary Air Rotary Mud Cable Auger Cable Mud	
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
	Existing Well / Predeepening
4) PROPOSED USE Domestic Irrigation Community	Completed Well 06-25-2006 407
Industrial/ Commericial Livestock Dewatering	Flowing Artesian? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found
5) BORE HOLE CONSTRUCTION Special Standard Attach copy	
Depth of Completed Well 622.00 ft.	05-11-2006 350 356 30 313
BORE HOLE SEAL sacks.	05-16-2006 488 492 300 407
Dia From To Material From To Amt Ibs	05-16-2006 510 520 500 407
20 0 108 Cement 0 108 60 S	
16 108 622 Cement 108 450 190 S	
	(11) WELL LOG Ground Flevation
ow was seal placed: Method A B C D E	Ground Elevation
	Material From To   SAND AND SOIL   0   88
Other HALIBURTON	GRAVEL 88 93
ckfill placed from ft. to ft. Material Size	BROKEN BROWN BASALT 93 108
	BLACK BASALT 108 345
plosives used:Yes Type Amount	BROWN BASALT 345 366
6) CASING/LINER	BLACK BASALT 366 488
6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	BLACK BASALT/GREEN CLAYSTONE 488 492
□ 12	BLACK BASALT/TAN CLAYSTONE 492 496
0 12 × 2 450 .375 0 C ×	BLACK BASALT         496         510           BLACK SCORIA         510         520
	BLACK SCORIA         510         520           BLACK BASALT         520         555
Q $Q$ $H$ $H$ $H$ $Q$ $Q$ $H$ $H$	BLACK BASALT/GREEN CLAYSTONE 555 558
	BLACK BASALT 558 614
Shoe Inside Outside Other Location of shoe(s)	BLACK BASALT/GREEN CLAYSTON 614 618
Temp casing Yes Dia From To	BLACK BASALT 618 622
) PERFORATIONS/SCREENS	
Perforations Method	
Screens Type Material	
CONTRACTOR	
erf/ Casing/Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	Date Started 05-04-2006 Completed 06-25-2006
2.00 From 10 wider length 310th pipe size	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, o
	abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
B) WELL TESTS: Minimum testing time is 1 hour	License Number 1731 Date 06-26-2006
Pump Bailer Air Flowing Artesian	Electronically Filed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed RYAN SCOTT FULLERTON (E-filed)
500 622 1	(bonded) Water Well Constructor Certification
	I accept responsibility for the construction, deepening, alteration, or abandonme
	work performed on this well during the construction dates reported above. All wo
emperature 69 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply we
Vater quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.
	License Number 544 Date 06-26-2006
From To Description Amount Units	
From To Description Amount Units	Electronically Filed
From To Description Amount Units	Electronically Filed Signed LARRY BURD (E-filed) Contact Info (optional)

WATER RESOURCES DEPT SALEM, OREGON