STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

umat UM

WEGEWED WAT 5635 FEB 20 1992 3N/29E/19ca

(1) OWNER: Well Number	(9) LOCATION OF WELL by legal description:	
Name Tony Amstad	County Uma tella Latitude Longitude	
Address Rt. 4 Box 290	Township 31 N or S. Range 29E E or W. W.	M.
City Sherwood State OR Zip 97/40	Section	
(2) TYPE OF WORK:	Tax Lot Lot Block Subdivision	
□ New Well □ Deepen □ Recondition □ Abandon	Street Address of Well (or nearest address)	
	Echo. OR	
(3) DRILL METHOD:		
Rotary Air	(10) STATIC WATER LEVEL:	01
Other		
(4) PROPOSED USE:	Artesian pressure lb. per square inch. Date	
☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation	(11) WATER BEARING ZONES:	
☐ Thermal ☐ Injection ☐ Other	4	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found	
Special Construction approval Yes No Depth of Completed Well 400 ft.		
Explosives used Yes No Type Amount	From To Estimated Flow Rate SV	WL
Explosives used in tes the type /mount	1223 1298 300+ 54	40
HOLE SEAL Amount		40
Diameter From To Material From To sacks or pounds	7565 757 7007 57	70
15" 595 810 Reamed hole from 10" to 13"		\dashv
10" 810 1026 (Existing hole)		
10" 1026 1400	(12) WELL LOG:	
(Seal N/A)	Ground elevation	
How was seal placed: Method \square A \square B \square C \square D \square E		
Other	Material From To SV	WL_
Backfill placed from ft. to ft. Material	Gray basalt 1026 1039	
Gravel placed from ft. to ft. Size of gravel	Red + brown basalt 1039 1064	$\neg \neg$
	Gray basalt 1064 1112	
(6) CASING/LINER:		
Diameter From To Gauge Steel Plastic Welded Threaded	Brown basa/+ 11/2/138	
Casing: A L	Gray basalt 1/38 1273	12
	Brown 6asalt 1273 1298 W	70
	Gray basalt 1298 1363	
	Red/4 black basalt 1363 1397 W	\mathcal{B}
Liner:	Gray basalt 1397 1400	
Final location of shoe(s)		
(7) PERFORATIONS/SCREENS:		
		\neg
Screens Type Material		
Slot Tele/pipe		
From To size Number Diameter size Casing Liner		\longrightarrow
(8) WELL TESTS: Minimum testing time is 1 hour	Date started	
Flowing		~
☐ Pump ☐ Bailer ☐ Air ☐ Artesian	(unbonded) Water Well Constructor Certification:	ndo-
Yield gal/min Drawdown Drill stem at Time	I certify that the work I performed on the construction, alteration, or abatement of this well is in compliance with Oregon well construction standards. Mat	
Tield gairining Drawdown Drin stem at Time	used and information reported above are true to my best knowledge and belie	
2,000T /400 1 hr.		
	WWC Number	
	Signed Date	<u>, </u>
	(bonded) Water Well Constructor Certification:	
Temperature of Water Depth Artesian Flow Found	I accept responsibility for the construction, alteration, or abandonment work	k ner-
Was a water analysis done? Yes By whom	formed on this well during the construction dates reported above. All work perfo	ormed
was a water analysis done? Ites By whom	during this time is in compliance with Oregon well construction standards. This r	report
Did any strata contain water not suitable for intended use?	is two to the heat of my knowledge and belief	_
Salty Muddy Odor Colored Other	Signed Patrick Wallace Date 1-27-9	40
Depth of strata:	Signed aruck Wallace Date 1-21-9	ZÁ.