UMAT 56491

STATE OF OREGON

WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

WELL I.D. #L 93308 98308 START CARD # 20039/

instructions for completing this report are on the last page of this form.						
(1) LAND OWNER Same Sonn Griffitts Well Number	(9) LOCATION OF WELL by legal description:					
Address 104 Harrison Drive	County Matilla Latitude Longitude					
City Umatilla State OR Zip 97882	Township 4N N or S Range 29E E or W. WM. Section 32 NW 1/4 SW 1/4					
2) TYPE OF WORK	Tax Lot //0/ Lot Block Subdivision					
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest address) Sherman St. Stantiels, R 97875			<u>57.</u>		
3) DRILL METHOD:			71/81/5	<u> </u>		
	(10) STATIC WATER LEVEL:					
	Artesian pressure			Date		
24) PROPOSED USE: Domestic Community Industrial Irrigation	(11) WATER BEAR		a square men			
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	(11) WATER BEAT	MING ZONES:	20			
(5) BORE HOLE CONSTRUCTION:	Depth at which water v	vas first found	23			
Special Construction approval Yes No Depth of Completed Well of t.	From To Estim			mated Flow Rate SWL		
Explosives used Yes No TypeAmount	23 52		30		13	
HOLE SEAL						
Diameter From To Material From To Sacks or pounds						
8" 20 60					_	
		<u></u>				
How was scal placed: Method A B C D E	(12) WELL LOG: Grou	and Elevation				
Pother Foured 3/8" bentonite	Mater	ela1	From	То	SWL	
Backfill placed fromft. toft. Material	Sandy cla		-	13	341	
Gravel placed fromft. toft. Size of gravel	Clay with		3	23	+1	
6) CASING/LINER: Diameter From To Gauge Steel Plastic Welded Threaded	grave/	SOME		100	 	
asing: 8" +/ 148 ,250 P	Gravel		23	52	WB	
	Coray base	1/	.52	60	120.5	
	(J. 10 10 10 10 10 10 10 10 10 10 10 10 10					
iner:						
Drive Shoe used Inside Doutside None Final location of shoe(s)						
(7) PERFORATIONS/SCREENS:						
Perforations Method		-			 	
☐ Screens TypeMaterial Slot Tele/plpe			REC	EIVEL		
From To size Number Diameter size Casing Liner						
			NOV	3 0 2009	9	
			WATER RES			
			SALEM,	DREGON		
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 9-	25-08 c	ompleted	9-26-6	08	
Flowing	(unbonded) Water Well	Constructor Cert		_		
☐ Pump ☐ Bailer	I certify that the worl					
30 60 1 hr.	ment of this well is in con standards. Materials used					
30	knowledge and belief.		•		•	
	Cianal .			mber		
100	Signed			Date		
Temperature of water 680 Depth Artesian Flow Found	(bonded) Water Well Co	_				
as a water analysis done?	I accept responsibility performed on this well du					
Did any strata contain water not suitable for intended use? Too little	performed during this tim	e is in compliance	with Oregon water	r supply well		
Salty Muddy Odor Colored Other	construction standards.	his report is true to	ine best of my kno WWC No.	owledge and b ober	cellef.	
Depth of strata:	Signed Parries	Willa	el "We inter-	Date 9-	30-08	