STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)		UMAT 57394 9/3/2014	WELL I.D. LABEL# 1 START CARD # ORIGINAL LOG #	115141 1024179	Page 1 of 1
(1) LAND OWNER First Name ADOLPH	Owner Well I.D Last Name WEINKE	(9) LOCA	ATION OF WELL (legal d	lescription)	
Company Address PO BOX 547 City PILOT ROCK	State OR Zip 97868			7/S Range 32.00 E 1/4 Tax Lot 100	_ E/W WN

Compony	(7) LOCATION OF WELL (legal description)			
Company	County UMATILLA Twp 2.00 S N/S Range 32.00 E	E/W WM		
Address PO BOX 547	Sec 10 NW 1/4 of the SE 1/4 Tax Lot 100			
City PILOT ROCK State OR Zip 97868				
2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " or DMS	ı DD		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat or DMS	or DD		
2a) PRE-ALTERATION		or DD		
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address			
Casing:	64450 E. BIRCH CR RD PILOT ROCK OR			
	04-30 E. BIKEIT EK KB TIEOT KOCK OK			
Material From To Amt sacks/lbs				
Seal:	(10) CDADIC WADED I EVEL			
3) DRILL METHOD	(10) STATIC WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL((ft)		
Reverse Rotary Other	Existing Well / Pre-Alteration			
	Completed Well 9/2/2014 6			
4) PROPOSED USE	Flowing Artesian? Dry Hole?			
Industrial/Commericial Livestock Dewatering				
	WATER BEARING ZONES Depth water was first found 90.00			
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWI	L(ft)		
5) BORE HOLE CONSTRUCTION Special Standard (Attach copy				
· · · · · · · · · · · · · · · · · · ·	8/29/2014 90 105 5	6		
Depth of Completed Well $\underline{220.00}$ ft.	9/2/2014 180 195 50	6		
BORE HOLE SEAL sacks/	9/2/2014 195 220 150	6		
Dia From To Material From To Amt 1bs				
12 0 19 Bentonite Chips 0 18 14 S	1			
10 19 117 Cement 108 117 5 S	1			
7.5 117 220	1			
7.5 117 220	(11) WELL LOG Ground Elevation			
	Ground Elevation	_		
How was seal placed: Method A B C D E	Material From To			
X Other POURED BENTONITE	Soil 0 3			
Backfill placed from ft. to ft. Material	Clay/Gravel 3 49)		
	Soft Black Basalt 49 85	5		
	Brown Basalt w/Tan Claystone 85 10:	5		
Explosives used: Yes Type Amount	Black Basalt 105 170			
5a) ABANDONMENT USING UNHYDRATED BENTONITE	Black Basalt w/Green Claystone 170 17:			
·	-			
Proposed Amount Actual Amount				
6) CASING/LINER	Black Basalt w/Tan Claystone 180 193			
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Broken Black/Brown Basalt 195 220	0		
8 X 2 117 .25 O X				
Shoe X Inside Outside Other Location of shoe(s) 117				
Temp casing Yes Dia From To				
7) PERFORATIONS/SCREENS				
Perforations Method				
Screens Type Material	Date Started8/28/2014 Complete 9/2/2014			
** ====================================	Date Started 8/28/2014 Complete 9/2/2014			
	(unbonded) Water Well Constructor Certification			
Screen Liner Dia From To width length slots pipe size	I certify that the work I performed on the construction, deepening, altera	otion or		
	abandonment of this well is in compliance with Oregon water supply well			
	construction standards. Materials used and information reported above are	e true to		
	the best of my knowledge and belief.			
	License Number 1963 Date 9/3/2014			
8) WELL TESTS: Minimum testing time is 1 hour				
,	Signed JOHN KLINE (E-filed)			
Pump Bailer • Air Flowing Artesian	JOHN KEHNE (E med)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
200 220 1	I accept responsibility for the construction, deepening, alteration, or abandonment			
200				
	work performed on this well during the construction dates reported above. All work			
	performed during this time is in compliance with Oregon water supply well			
Temperature 55 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and	i beliet.		
· — — — — ·	License Number 1881 Date 9/3/2014			
Water quality concerns?	7/3/2014			
·	Signed GARRY L ZOLLMAN (E-filed)			
	Contact Info (optional) Garry Zollman			
	Contact into (optional) Garry Zonnian			
ODICINAL WATER DESCRIBES	L DA DEL COME			