Amended 1/30/2023 WELL I.D. LABEL# L STATE OF OREGON **UMAT 59014** START CARD# WATER SUPPLY WELL REPORT 1059693 1/9/2023 ORIGINAL LOG# UMATILLA 4923 (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. First Name Last Name (9) LOCATION OF WELL (legal description) Company ANDREWS HOLDINGS LLC County UMATILLA Twp 6.00 N N/S Range 35.00 E E/W WM Address 224 WESTLAKE AVE.N.SUITE 500 Sec <u>34</u> NE <u>1/4 of the SW</u> <u>1/4 Tax Lot <u>500</u></u> City SEATTLE State WA Tax Map Number _ New Well Deepening (2) TYPE OF WORK or 45.95171465 Alteration (complete 2a & 10) X Abandonment(complete 5a) " or -118.42555815 DMS or DD (2a) PRE-ALTERATION Street address of well Nearest address Gauge Stl Plstc Wld Thrd Casing: 8 83872 DON CARLO WAY MILTON FREEWATER OR 97862 .250 Material From To Amt sacks/lbs Seal: Bentonite (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(psi) SWL(ft) X Rotary Air Rotary Mud Cable Auger Existing Well / Pre-Alteration 1/5/2023 Reverse Rotary Other Completed Well Domestic X Irrigation Flowing Artesian? Dry Hole? (4) PROPOSED USE Industrial/ Commericial Livestock | Dewatering WATER BEARING ZONES Depth water was first found Thermal Injection Other SWL Date To Est Flow SWL(psi) + SWL(ft) From (5) BORE HOLE CONSTRUCTION Special Standard | X (Attach copy Depth of Completed Well _ BORE HOLE sacks/ Dia From Material From To Amt lbs 42 16 Calculated 13.5 Bentonite Chips 152 73 (11) WELL LOG Calculated Ground Elevation How was seal placed: Method A From То Material EXISTING WELL 265 Other __ ft. to ____ Backfill placed from _ __ ft. Material ___ ft. to _ ft. Material Filter pack from ____ Explosives used: Yes Type___ Amount (5a) ABANDONMENT USING UNHYDRATED BENTONITE 53.00 Sacks Actual Amount 73.00 Sacks Proposed Amount (6) CASING/LINER Plstc Wld Thrd Casing Liner From Gauge Inside | Outside Other Location of shoe(s) Temp casing Yes Dia (7) PERFORATIONS/SCREENS Perforations Method $\underbrace{\widetilde{H}}$ OLT SYSTEM Screens Type _ Material Date Started 1/5/2023 Completed 1/6/2023 Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ (unbonded) Water Well Constructor Certification Screen Liner From width length slots pipe size I certify that the work I performed on the construction, deepening, alteration, or Perf | Casing 540 abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. License Number 1985 Date 1/9/2023 (8) WELL TESTS: Minimum testing time is 1 hour ALEXANDER SIMONTON (E-filed) O Flowing Artesian O Air O Pump (Bailer (bonded) Water Well Constructor Certification Drawdown Drill stem/Pump depth Duration (hr) Yield gal/min

ORIGINAL - WATER RESOURCES DEPARTMENT

°F Lab analysis Yes By_

Yes (describe below) TDS amount 246

Temperature 58

Water quality concerns?

License Number 1881

Signed GARRY ZOLLMAN (E-filed)
Contact Info (optional) GARRY ZOLLMAN

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Date 1/9/2023

UMAT 59014

WELL I.D. LABEL# L
START CARD # 10

L		
#	1059696	
#	UMATILLA	4923

	1/9/2023	О	RIGINAL LO	OG# UMA	TILLA 49	023
2a) PRE-ALTERATION	Water Q	uality Conce	rns			
Dia + From To Gauge Stl Plstc Wld Thrd	From	То	Descrip	tion	Amou	ınt Units
Material From To Amt sacks/lbs						
Troil To Anit Sacks/108						
Cement 15 18 8 Sacks						
	(10) STA	TIC WAT	D I EVEI			· · · · · · · · · · · · · · · · · · ·
5) BORE HOLE CONSTRUCTION	SWL Da	TIC WATI	To	Est Flow	CWI (pgi)	+ SWL(ft)
BORE HOLE SEAL sa	cks/	110111	10	LSt Flow	5 W L(psi)	- SWL(II)
Dia From To Material From To Amt	lbs					
Calculated				-		
Calculated						
Calculated				-		
Calculated						
FILTER PACK	(14) 11/15/					
From To Material Size	(11) WE					
		Materia	1		From	To
6) CASING/LINER					-	
Casing Liner Dia + From To Gauge Stl Plstc Wld Th	nrd					
	, I					
	_					
	-					
	⊣					
	-					
	┪ ┃					
]					
7) PERFORATIONS/SCREENS						
	Tele/					
	pe size					
					•	
	Commo	nts/Remark				
		nts/ Nemark	w.			
(8) WELL TESTS: Minimum testing time is 1 hour	[]-					
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)						
Tiene San min Diamedown Dim stein/1 ump uepui Duration (iii)						

UMAT 59014

1/9/2023

Map of Hole

STATE OF OREGON WELL LOCATION MAP

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.95171465 Datum: WGS84

Longitude: -118.42555815

Township/Range/Section/Quarter-Quarter Section:

This map is supplemental to the WATER SUPPLY WELL REPORT

WM6.00N35.00E34NESW

Address of Well:

83872 DON CARLO WAY MILTON FREEWATER OR 97862

Startcard: 1059696

Printed: January 9, 2023

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

ORPGMidAd bweellcons tructor

