STATE OF OREGON WATER SUPPLY WELL REPORT UMAT 59242

WELL I.D. LABEL# L START CARD # ORIGINAL LOG #

		Page 1 of 3
		-
1075624		
UMATILLA	150	

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	12/2/	2024	ORIGINAL L	OG# UMA	TILLA 150	
(1) LAND OWNER Owner Well I.D. MEACHAM-1					, and the second	
First Name Last Name	(9) LOCATI	ON OF WELL (I	egal descri	iption)		
Company UNION PACIFIC RAILROAD	County UMATILI	LA Twp 1.00 S	N/S F	Range 35.00 E	E/W WM	
Address 5424 SE MCLOUGHLIN BLVD City PORTLAND State OR Zip 97202	Sec <u>3</u> S	W 1/4 of the NI	Ξ1/4	Tax Lot RR F	ROW	
(2) TYPE OF WORK New Well Deepening Conve	ersion	Tax Map Numbe	r" or _45.51		Lot	
Alteration (complete 2a & 10) X Abandonment(complete 2a & 10)	mplete 5a)	Lat°	' or 45.51	1008000		DMS or DD
(2a) PRE-ALTERATION		Long	" or -118	.42222800	11	DMS or DD
Dia + From To Gauge Stl Plstc Wld Th Casing: 8 X 1 52 0.250 Image: Casing in the property of the pro			OLD HWY 90, MEA	\sim		
Material From To Amt sacks/lbs	Ŋ	MAINSTAND	OLD IIW 1 90, MEA	CHAM, OK)	7637	
Seal: Concrete 0 3 15 Sacks						
(3) DRILL METHOD		(10) STATIC	WATER LEVE		ии (:) т	CWI (A)
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing We	ll / Pre-Alteration 10/		WL(psi) +	SWL(ft)
Reverse Rotary X Other ABAONDON IN PLACE		Completed V	Well			23
(4) PROPOSED USE Domestic Irrigation Community			Flowing Artesian	n? Dr	ry Hole?	
Industrial/Commericial Livestock Dewatering		WATER BEARIN	NG ZONES D	epth water wa	as first found	
Thermal Injection Other	_	SWL Date	From To	Est Flow	SWL(psi) +	SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (A	Attach copy)				Т	
Depth of Completed Well 125.00 ft.						
BORE HOLE SEAL	sacks/	1				
Dia From To Material From To A 8 0 52 Concrete 0 3	$\frac{\text{Amt}}{12}$ $\frac{\text{lbs}}{\text{S}}$					
6 52 125 Calculated	12 3	· L				
Bentonite Chips 3 125	45 S	(11) WELL L	OC			
Calculated	47	(11) WEEL L	Ground 1	Elevation		
Seal placement method: A B C D E Other: POUR		Abandon Well in p	Material lace as per Spec Std		From 0	To 125
Backfill placed from ft. to ft. Material CONCRETE Filter pack from ft. to ft. Material Siz	7e	Ztoandon wen in p	lace as per spec sta			123
Fxplosives used: Type Amount						
Explosives used: Type Amount Seal Placement Begin Date 10/8/2024 Begin Time 14 00	00					
(5a) ABANDONMENT USING UNHYDRATED BENTONIT						
	ıcks					
(6) CASINC/LINED						
Mat.	Shoe					
C/L Dia + From To Gauge Type Wld Thrd Shoe	Location					
Temp casing Yes Dia From+ To						
(7) PERFORATIONS/SCREENS						
Perforations Method		Construction				
Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/	Begin Date 10/8	Begin Time	13 00	End Date	10/8/2024
Screen Liner Dia From To width length slots		(unbonded) Wa	ter Well Constructor	Certification	l	
	_	I certify that the	e work I performed or	the construc	tion, deepening	, alteration, or
			f this well is in conndards. Materials used			
			nowledge and belief.	and informa	ion reported as	ove are true to
		License Number	•	Date		
(8) WELL TESTS: Minimum testing time is 1 hour			-			
Yield Drill Stem/ Durat	tion	Signed				
Type of Test (gal/min) Drawdown Pump Depth (hr	:)	(bonded) Water	Well Constructor Ce	rtification		
			ibility for the construc			
			on this well during the			
		construction stan	ng this time is in conductor. This report is to	mphance with	of my knowled	ı suppıy well ge and belief.
Temperature 51 °F Lab analysis Yes By Water quality concerns? Yes (describe below) TDS amount 100	ppm	License Number	_	Date 12		
Water quality concerns? Yes (describe below) TDS amount 100 From To Description Amount	Units		1/00		2/2024	
			PH STALOCH (E-filed	<i>,</i>		
		Drilling Compan	y: <u>CDLP # 113-24-1</u>	087		
		I				

(8)	WELL	TESTS:	Minimum	testing	time is	1	hou	r
					D '11 0		,	D

 Type of Test	Yield (gal/min)	Drawdown	Pump Depth	(hr)

	water Q	uanty Col	liceriis		
From To		To	Description	Amount	Units

From	То	LSt I IOW	SWL(ps1)	٠.	SWL(II)

iviateriai	FIOIII	10
		

Name of person(s) who assisted with construction and Trainee License # / Helper # Type

Comments/Remarks

Abandon well in place with bentonite chips.

- 8" steel casing 0-52 ft bgs
- 6" open hole 52-125 ft bgs

Remove upper portion of well and restore surface.

UMAT 59242

12/2/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.51008000 Datum: WGS84

Longitude: -118.42222800

Township/Range/Section/Quarter-Quarter Section:

WM1.00S35.00E3SWNE

Address of Well:

MAIN ST AND OLD HWY 90, MEACHAM, OR 97859

Hole Nbr: MEACHAM-1

Printed: December 2, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

