NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

Was a drive shoe used? H Yes 🗌 No Plugs Size: location

depth of strata

Did any strata contain unusable water? ☐ YesX☐KNo

Type of water?

Method of sealing strata off

Was well gravel packed?

Yes

No

4N/27E -20

STATE ENGINEER, SALEM, OREGON 97300 (Plea within 30 days from the date of well completion. (Do not well completion.	t write above this STATE ENGINEER State Permit No.	·
	SALEM, OREGON	
(1) OWNER:	(10) LOCATION OF WELL:	
Name Tom Mann	County Umatilla Driller's well number	
Address R. I Box 208 Hermiston, Ore. 97838	34 34 Section 20 T. 4N R. 27 E	w.m.
	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):	45	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon	on 🗆	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check	eck): Depth at which water was first found 75	ft
Rotary Driven Domestic Industrial Municip	icipal 🗆 Static level 54 ft. below land surface. Date 4-4-	75
Cable □ Jetted □ Dug □ Bored □ Irrigation □ Test Well □ Other	toni della di la contra di la c	
CASING INSTALLED: "Diam. from 0 ft. to 152 ft. Gage 25% "Diam. from ft. to ft. Gage	Depth drilled I52 ft. Depth of completed well I52 Formation: Describe color, texture, grain size and structure of mater and show thickness and nature of each stratum and aquifer penetr with at least one entry for each channes of formation. Report each chan position of Static Water Level and indicate principal water-bearing st	ft rials: ated ge in
Type of perforator used		WL
Size of perforations in. by in.	Surface sand 0 5	
perforations from ft. to	tt. Sand brown 5 65	
perforations from ft. to	ft. Band black coarse 55 147	
perforations from ft. to	Cmarrol	4
(7) SCREENS: Well screen installed? Well screen installed? Yes No Manufacturer's Name Type		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	is	
Was a pump test made? Yes Ino If yes, by whom?		
Yield: gal./min. with ft. drawdown after	hrs.	
" "	"	
" " "	"	
eir Bailer test 75 gal./min. with 70 ft. drawdown after 2	2 hrs.	
	The second secon	
Artesian flow g.p.m.	tt. Work started 4-4-75 19 75 Completed 4-4-75	1975
perature of water Depth artesian flow encountered		
CONSTRUCTION:	Date well drilling machine moved off of well 4-4	1975
Well seal—Material used	Drilling Machine Operator's Certification:	d or
Well sealed from land surface to	This well was constructed under my direct supervise. Materials used and information reported above are true to	m
Diameter of well bore to bottom of seal in.	best knowledge and belief.	
Diameter of well bore below seal in.	[Signed] (Crilling Machine Operator) Date 4-7, 19	9.75
Number of sacks of cement used in well seal	sacks Sacks Drilling Machine Operator's License No. 300	
Number of sacks of bentonite used in well seal	sacks	7
Brand name of bentonite	Water Well Contractor's Certification:	-alle
Number of pounds of bentonite per 100 gallons of waterlbs./10	This well was drilled under my jurisdiction and this repo	ort i

Name Allison Drilling

2 Box 309-0

Date 4-7