MOTICE TO WATER WELL CONTRACTOR

IIMAT

State	Well No. 6	1356-30	
~. .			1

1)	OWNER:	(10) LOCA	TION OF W	YELL:
`	SALEM, OREGON 97310 within 30 days from the date of well completion.	(Please type or print)		State Well No. W/N 55-50
	The original and first copy of this report are to be filed with the WATER RESOURCES DEPARTMENT.	WATER WELL REPORT STATE OF OREGON	G450	64/355-20

(1) OWNER:	(10) LOCATION OF WELL:				
Name Chet Fortune	County Umatilla Driller's well n	umber			
Address Rt. 2 Box 72	14 14 Section 30 T.6N	r. 35		W.M.	
Milton-Freewater, Or. 97862	Bearing and distance from section or subdivis	ion corner			
(2) TYPE OF WORK (check):					
New Well Deepening □ Reconditioning □ Abandon □	1.13				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed v	71	***************************************		
TYPE OF WELL: (4) PROPOSED USE (check):		ven.			
The Prince of th	Depth at which water was first found 15			ft.	
Domestic	Static level 16 ft. below land	surface.	Date 1.	<u>-22-81</u>	
Dug ☐ Bored ☐ ☐ Irrigation ☑ Test Well ☐ Other ☐	Artesian pressure lbs. per squa	re inch. 1	Date		
(5) CASING INSTALLED: Threaded ☐ Welded ⚠ 250	(12) WELL LOG: Diameter of well Depth drilled 260 ft. Depth of comp	leted well	260	ft.	
(6) PERFORATIONS: Perforated? ■ Yes □ No.	Formation: Describe color, texture, grain size and show thickness and nature of each stratu with at least one entry for each change of forma position of Static Water Level and indicate printing the state of the st	m and ac	quifer pe	enetrated,	
Type of perforator used Chain Saw	MATERIAL	T			
Size of perforations $\frac{1}{4}$ in. by 8 in.	MALERIAL	From	То	SWL	
perforations from ft. to ft.	Top soil	0	15	15	
408 perforations from 28 ft. to 260 ft.	Gravel	15	18		
perforations from ft. to ft.	Cemented gravel	18	80		
	Gravel little clay	80	83		
(7) SCREENS: Well screen installed? Yes I No	Cemented gravel	83	145	14	
Manufacturer's Name	Brown sticky clay	145	150		
Type Model No.	Cemented gravel	150	220		
Diam Slot size Set from ft. to ft.	Brown clay	220	230		
Diam. Slot size Set from ft. to ft.	Brown clay & some gravel	230	240		
WELL TESTS: Drawdown is amount water level is lowered below static level	Gravel very little clay	240	260	16	
Was a pump test made? X Yes No If yes, by whom? driller					
Viold: 183	RECEIVED				
" 160 " 174 " 2 "					
	FEB231981	l			
	WATER RESOURCES DEPT				
safler test gal./min. with ft. drawdown after hrs.					
Artesian flow g.p.m.	SALEM, OREGON				
Temperature of water 59 Depth artesian flow encountered ft.	Work started 12-39 1980 Complete	ed 2-4		19 83	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	2-4		1981	
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported best knowledge and belief.	direct above a	super re true	vision. to my	
Diameter of well bore below sealin.	Signed (Drilling Machine Operator) Drilling Machine Operator's License No.	Date 💫	-19	1951	
Number of sacks of cement used in well seal <u>lyd.</u> sacks Iow was cement grout placed? poured	Drilling Machine Operator's License No. 545				
garage and the second s	Drilling Machine Operator's License No.	747		***************************************	
A THE COLUMN TO	Water Well Contractor's Certification:		\$ "-		
A. A. A.	This well was drilled under my jurisdi	ction and	this re	eport is	
Vas a drive shoe used? 🛱 Yes 🗌 No Plugs Size: location ft.	true to the best of my knowledge and belief. Name G.L. "Lee" Parr Well Drilling				
old any strata contain unusable water? 🗌 Yes 🖪 No	Name G.D. Lee Pair Well Dri (Person, firm or corporation)	(Tyn	e or prin	t)	
ype of water? depth of strata	(Person, firm or corporation) Rt. 3 Box 71 Milton=	Freewa	ater,	Or	
Method of sealing strata off		, , ,			
Vas well gravel packed? ☐ Yes ↓ No Size of gravel:	[Signed] (Water Well Contr.	//			
ravel placed from			0	~/	
It. tu	Contractor's License No. 730 Date	<u> </u>	/	191	