REGE! VE U

UMAT

GN/36-19 N(1)

File Original and First Copy with the STATE ENGINEER, SALEM OREGON

STATE ENGINEWATER WELL REPORT 15

SALEM, OREGON	G 2100 State Fermit No.
(1) OWNER: Name mark Mc Coy	(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes \(\subseteq \text{No If yes, by whom?} \)
Milton Frewater One.	Yield: 2-50 gal./min. with /H ft. drawdown after 8 hrs.
	n n n
(2) LOCATION OF WELL: County Limatilla Owner's number, if any—	Bailer test gal./min. with ft. drawdown after hrs.
5W 4 SW 4 Section 19 T. 6N R. 36 E W.M.	Artesian flow g.p.m. Date
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? Yes No
632 Ni and 400 E. from The S.F. con of S.E. L. Do sec.	(12) WELL LOG: Diameter of well inches. Depth drilled 6 of ft. Depth of completed well 6 of ft.
4. Tp. 6. N.R. 35 E.W.M.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
(2) MVDE OF WORK (shorts)	MATERIAL FROM TO
(3) TYPE OF WORK (check): New Well Deepening Reconditioning Abandon Abandon	Though Country bearing 9 21
If abandonment, describe material and procedure in Item 11.	Coment graves 1 21 37
PROPOGRAD VIGIT (I I I) (X) MANDE OF THE Y	Ivanel Curater bearing 37 41
PROPOSED USE (check): (5) TYPE OF WELL:	Cenalist gravel de 41 64
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Driven ☐ Cable ☒ Jetted ☐ Dug ☐ Bored ☐	
(6) CASING INSTALLED: Threaded □ Welded ☑	
"Diam. from O ft. to 3 4 ft. Gage	
"Diam fromft. toft. Gage	
" Diam. from ft. to ft. Gage	
(7) DEDEOD AUTONS: A Destaurated to Van II No.	
(7) PERFORATIONS: Perforated? Yes \(\sigma\) No Type of perforator used	
SIZE of perforations in. by 9 in.	
perforations from O ft. to 3.9 ft.	
perforations from	
perforations from ft. to ft.	
perforations from	
perforations fromft. toft.	
(8) SCREENS: Well screen installed	
Type Model No.	
n	
n, Slot size Set from ft, to ft.	Work started beaut 29 1961. Completed Julia, 9 1961
(9) CONSTRUCTION:	(13) PUMP:
Was well gravel packed? Yes No Size of gravel:	Manufacturer's Name
Gravel placed fromft. toft.	Type: Centrifugal H.P. 15
Was a surface seal provided? \square Yes \square No To what depth? ft. Material used in seal—	Wall Duillan's Statements
Did any strata contain unusable water? Yes No	Well Driller's Statement: This well was drilled under my jurisdiction and this report is
Type of water? Depth of strata	true to the best of my knowledge and belief.
Method of sealing strata off	NAME RAISMOND HARDING
(10) WATER LEVELS:	Address CbH ST. ToHN WAIIA WAIIA WA
Static level ft. below land surface Date Willy 2/6	
	Driller's well number
Signed Mark M Corpate 8/25 196/	[Signed] (Well Driller)
(Owner)	License No. 24 Date License No. 19.6