The original and first copy of this report
are to be filed with the

ER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date WATER RESOURCES DEPARTMENT,

(Please type or print) (Do not write above this line)

State Well No 20132E - 340	20
State Permit No.	

carps.

(1) OWNER:	(10) LOCATION OF WELL:		
Name GEORGE PETTERSON	County UnanLLA Driller's well number		
Address M	SW 14 NE 14 Section 34 T. 2N R. 52 E W.M.		
PENDLETON ORC	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 205 ft.		
Rotary Driven Domestic Mindustrial Municipal Domestic	Static level 69 ft. below land st	ırface. Date	
Cable	Artesian pressure lbs. per square		
(5) CASING INSTALLED: Threaded \(\begin{array}{cccccccccccccccccccccccccccccccccccc	(12) WELL LOG: Diameter of well below casing Depth drilled 390 ft. Depth of completed well 390 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
Type of perforator used	MATERIAL	From To SWL	
Size of perforations in. by in.	5016	0 10	
perforations from ft. to ft.	BASALT BLACK	10 37	
perforations from ft. to ft.	11 Black W/ Tale	37 205	
perforations from ft. to ft.	11 Black w/ Ropa Tou	105 220	
(7) SCREENS: Well screen installed? Yes No		288 3/2	
Manufacturer's Name	u Black w/ReD+Tale	3/2 355	
Type Model No	n BROWN	355 370	
Diam Slot size Set from ft. to ft.	11 Blech	370 385	
Diam Slot size Set from ft. to ft.	11 BROWN	385 390	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes \sum No If yes, by whom? Prilex d: 70 gal./min. with /20 ft. drawdown after / hrs. """" """ """ """ """			
Bailer test gal./min. with ft. drawdown after hrs.			
g.p.m. g.p.m. priperature of water by Depth artesian flow encounteredft.	Work started 2-20 1978 Complete	d 2-21 1978	
	Date well drilling machine moved off of well	2-21 19 78	
(9) CONSTRUCTION:		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Well seal—Material used Poet And Enact Well sealed from land surface to S ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal 7 sacks How was cement grout placed? Pass ft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed]		
A second	Water Well Contractor's Certification:	,	
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Dary Burd Well Drilling		
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print) Address 5543 5 Ly Douglas Dr. Fred cr		
Type of water? depth of strata	Address 2212		
Method of sealing strata off	[Signed] (Water Well Contractor)		
Was well gravel packed? Yes No Size of gravel:	Contractor's License No. 544 Date 2-23 , 19>8		
Gravel placed from ft. to ft.	Contractor's License No. J Date	, 19	