WATER WELL REPORT STATE OF OREGON



RECEIVED State Well No. 2

APR 9 1982

State Permit No.

	WATER RESOURCES DEPT		****
(1) OWNER:	SALEM, OREGON		
	(10) LOCATION OF WELL:		
in the second se	County (matches Driller's well number		
	SE 4 SE 4 Section 35 T. 2N R. 139 W.M.		
	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check): タワケムゲ	Address at well location: 5 miles (m) To	MILLIA CNEW	R
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	. 11.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 196 ft.		
Rotary Air Driven Driven	Static level 5 2 ft. below land surface. Date 5 - 28		
Rotary Mud Dug Irrigation Test Well Other	Artesian pressure lbs. per	square inch. Date	
The final William Heinjection	(12) WELL LOG: Diameter of well below ca	asing	
(5) CASING INSTALLED: Steel Plastic	Depth drilled ft. Depth of completed well ft.		
8."Diam. from ft. to 18. ft. Gauge 250	Formation: Describe color, texture, grain size and structure of materials; and show		
	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level		
LINER INSTALLED:	and indicate principal water-bearing strata.		.,,,,
	MATERIAL	From To SWL	
	SOIL	06	
(6) PERFORATIONS: Perforated? □ Yes দ No	glavel	68	
Type of perforator used	C lay	8 13	
Size of perforations in, by in.	BROWN BASAIT	13 74	
perforations from ft. to ft.	BIACK BASAIT	74 96	
perforations from	BLACK BASAIT+ GreenTALC	96 114	
perforations from ft. to ft.	RED BASAII	114 121	
(7) SCREENS: Well screen installed? Yes 14-No	DROWN BALDIT	21 134	
Manufacturer's Name	Prous PARAIT	134 146	<u> </u>
Type Model No.	RED Bores BANK TOK	196 176	
Diam. Slot Size Set from ft. to ft.	BMCK RADOLT	16 724	2
Diam. Set from ft. to ft.	KED BOTS BANAIT	34 245 H. F	7
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	BROWN BASAIT 2	45 284	Ł
Was a pump test made? Yes 400 If yes, by whom?	BLACK & BROWN BASANT B	184 294	
id:	BLACK SAFAIT TAK S	194 298	
gar/min. withit. drawdown after hrs	BIHCK TKED BUS BASAGT TAK 2	98 304 H2 C	>
Air test 300 gal./min. with drill stem at 360ft. / hrs.		04 319	
Bailer test gal/min. with ft. drawdown after hrs.	Block Bos Rock Brent 3	19 3.59 H. O	<u>. </u>
Artesian flow g.p.m.	DIACK BATAIT 3	188 81	
nperature of water 63 Depth artesian flow encountered ft.	Walter 1 2-25 00		
(9) CONSTRUCTION: Special standards: Yes \(\text{No.} \)	Work started 3-25 19 82 Completed Date well drilling machine moved off of well	- 7-/ 198	
Well seal—Material used OLT LAND CEMENT		19 🐔	32
Well sealed from land surface to 18	Drilling Machine Operator's Certification:		
Diameter of well bore to bottom of sealin.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore below sealin.	Signed Date Control of the Control o		
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)		
How was cement grout placed?		./ 	
- Address - Addr	Water Well Contractor's Certification:		
Was pump installed?	This well was drilled under my jurisdiction and this report is true to		
Je dinimit Deptil	the best of rhy knowledge add/belief. Name		
Was a drive shoe used? ☐ Yes ☐ No Plugs	(Person, firm of corporation)		
Type of Water? depth of strata	Address Cot Kock Opp		
Method of sealing strata off	[Signed] Calle of		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)	0) }
Gravel placed from ft. to ft	Contractor's License No. 739 Date 4	19.8	