of this report are to be AUG 1 0 1973 State Well No. 2 N/33 E - 7 STATE OF OREGON filed with the STATE ENGINEER, SALEM, OREGON 9735TATE ENGINEER ease type or print ATE ENGINEER within 30 days from the date SALEM. OREGON write above this med LEM OREGON Permit No. within 30 days from the date of well completion. G1-5200 (1) OWNER: (10) LOCATION OF WELL: Name PAUL ASCUENA Driller's well number County UMaTILLA Address Pennleton ORA 14 Section 7 T. 2N R. 33 E Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): LOT 3 BLK I S' SE' NE W New Well Deepening [Reconditioning [Abandon [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven [] Domestic I Industrial I Municipal I ft. below land surface. Date 7 Static level Jetted [] Irrigation Test Well | Other Bored | Artesian pressure lbs. per square inch. Date (5) CASING INSTALLED: Threaded - Welded (12) WELL LOG: Diameter of well below casing . Diam. from 60 ft. to 30 ft. Gage 277 Depth drilled 243 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; ft. Gage" Diam. from ft. to and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in (6) PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Tyes No. Type of perforator used SOIL Size of perforations in. by 0 15 NONC ft. to _____ft. GRAVEL 15 24 201 24 157 BASALT Black perforations from ______ft. to _____ft. BLECK+ ReD (GReen Soopstone 157 17.3 perforations from _____ft. to ____ft. BASALT BLOCK 212 (7) SCREENS: Well screen installed? | Yes | No BLOCK WYBLUE SORPSTON 8 GPM P 212 214 Manufacturer's Name 20 Type Model No. BLECK WALLE SOOPSTINE 220 30 Diam. Slot size Set from BLECK W/BLVC & WhITE Diam, Slot size __ Set from _____ ft. to ____ ft. SORP STONE Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?

Yes

No If yes, by whom? gal./min. with ft. drawdown after 100 GPM Bailer test gal./min. with ft. drawdown after / Imperature of water 56 Depth artesian flow encountered 7-27 1973 Completed 1973 Work started Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used PORTLOND ComeNT Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date 7-29, 19.73 Diameter of well bore to bottom of seal ... / 0 " Diameter of well bore below seal _____ in. Number of sacks of cement used in well seal ______ Drilling Machine Operator's License No. ... Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location ft. Name LARRY BURD WELL DRILLING Did any strata contain unusable water? Yes 🗹 No Address P O Box Type of water? SURFACE depth of strata 20' Method of sealing strata off CASING & CEMENT Was well gravel packed?

Yes INO Size of gravel: Contractor's License No. 544 Date 7-28 , 197. Gravel placed from ft. to (USE ADDITIONAL SHEETS IF NECESSARY)

NOTICE TO WATER WELL CONTRACTOR