NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

## WATER WELL REPORT

## STATE OF OREGON

(Please type or print)

RECEIVED

within 30 days from the date of well completion. (Do not write ab		
1) OWNER:	SALEM. OREGON (10) LOCATION OF WELL:	-
Name PEUL CHRISTENSEN	County UM=7/LL Driller's well number	
Address MISSION PENDLETON ORP	NE 4 NE 4 Section & T. 2N R. 33 E	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
New Well		· 
f abandonment, describe material and procedure in Item 12.		
	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 120	ft.
Rotary Driven Domestic Findustrial Municipal Cable Detted	Static level 22 ft. below land surface. Date 8-2	25-7
Oug   Bored   Irrigation   Test Well   Other	Artesian pressurelbs. per square inch. Date	
CASING INSTALLED: Threaded   Welded   Welded   Gage . 250   Threaded   Threaded   Welded   Gage . 250   Threaded   Threaded   Threaded   Welded   Gage . 250   Threaded   Threaded   Threaded   Welded   Gage . 250   Threaded   Thread	(12) WELL LOG: Diameter of well below casing & ft. Depth of completed well 480	7 ft.
	Formation: Describe color, texture, grain size and structure of ma and show thickness and nature of each stratum and aquifer pene	
	with at least one entry for each change of formation. Report each change	ange in
PERFORATIONS: Perforated?  Yes Two.	position of Static Water Level and indicate principal water-bearing	strata.
Type of perforator used	MATERIAL From To	swl
Size of perforations in. by in.	GREVEL 0 17	
perforations from ft. to ft.	Sand 570NP 17 60	<del></del>
perforations from ft. to ft.	Besalt Broken 60 68	
perforations from ft. to ft.	11 BLACK 68 120	
7) SCREENS: Well screen installed? \(\sigma\) Yes \(\overline{D}\).\(\overline{D}\)	M Bleck W/ TELE 120 /31	
(1) SCREENS: Well screen installed? ☐ Yes ☐ No Manufacturer's Name	Block (3) 181	
Type Model No.	" Black W/ BROWN 181 193	
Diam. Slot size Set from ft. to ft.	" Black - ReD W/recc 205 215	
Diam Slot size Set from ft. to ft.	" Blech 215 257	
	" Block - ROD/W TOLC 257 277	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	" Oleck 177 320	
Was a sump test made? Yes   No If yes, by whom? DRILLAR.	" Black w/ \$366 320 349	
Yield: 35 gal./min. with ft. drawdown after hrs.	" Block 349 358	
" " "	11 BROWN / TELE 358 370	
,, , , , , , , , , , , , , , , , , , ,	" GRey 370 395	
Bailer test gal./min. with ft. drawdown after hrs.	" Black W/ TOLC 395 424	<del></del> -
Artesian flow g.p.m.	" ReD SCORITS 424 470	
perature of water 62 Depth artesian flow encountered		
Depth aresian now encountered	Work started 8 - 2 2 19 77 Completed 8 - 25	19 77
(9) CONSTRUCTION:	Date well drilling machine moved off of well \$ -25	19 77
Well seal-Material used PORTLEND COMENT	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct superviols Materials used and information reported above are true to	
Diameter of well bore to bottom of seal12 in.	best knowledge and belief.	1113
Diameter of well bore below sealin.	[Signed] Jany Buchine Operator) Date 8-25,	19 <i>77</i>
Number of sacks of cement used in well seal 54 sacks	Drilling Machine Operator's License No	
Tow was cement grout placed? GR≷VITY THRU  8 " P) PC	Drining Processor & Dreense 140.	
0 / 1.7 \	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this rep	ort is
Was a drive shoe used? Tyes No Plugs Size; location ft.	true to the best of my knowledge and belief.	
Old any strata contain unusable water?   Yes   No	Name Farry Burd Well Drilling (Type or print)	
Type of water? depth of strata	Address 5543 S.W. Douglas Dr. Pan	1.
Method of sealing strata off	A   A   A   A   A   A   A   A   A   A	
Was well gravel packed? [] Yes [ No Size of gravel:	[Signed] (Water Well Contractor)	
Gravel placed fromft. toff.		19.27