

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED DEC 21 1967 WATER WELL REPORT 893

STATE OF OREGON (Please type or print) (Do not write above this line)

UMAT 893

State Well No. 2N/33-8

State Permit No.

(1) OWNER:

Name Bert Cleary Address 725 NW. Johns Pl. Penleton OR

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [x] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [x] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 40 ft. Gage 277 6" Diam. from 0 ft. to 42 ft. Gage 277

(6) PERFORATIONS:

Perforated? [ ] Yes [x] No. Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 82 ft. below land surface Date 12/14/67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [ ] Yes [x] No If yes, by whom? gal./min. with ft. drawdown after hrs. Bailer test 26 gal./min. with 93 ft. drawdown after 1 hrs. Temperature of water 53 Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Cement Depth of seal 38 ft. Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [x] Yes [ ] No Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Umatilla Driller's well number 1/4 W. 1/4 Section 8 T. 2N.R. 33E. W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6" Depth drilled ft. Depth of completed well 222 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Top soil Brown, packed silt & gravel, Brown sh. Pi, Basalt Rock Brown and cony fractured, Basalt R. med & brown, Gray Basalt R. med., Blue clay soft, Blue p. coarse sh., Blue Clay & gravel, Basalt M. Hard Gray, Basalt Decomposed, Light Red Rock med., Brown Basalt R. Fractured, Brown - - - Cony, Brown Cubed or Fractured, Basalt Cony had led to stop drilling.

Work started Nov 6 1967 Completed 12/12 1967 Date well drilling machine moved off of well 12/15 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Rudd W. Davis Date 12/16/1967 (Drilling Machine Operator) Drilling Machine Operator's License No. 147

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Rudd W. Davis (Person, firm or corporation) (Type or print) Address R. I. Box 162 M-F. Ore 97862 [Signed] Rudd W. Davis (Water Well Contractor) Contractor's License No. 159 Date 12/16/1967