NOTICE TO WATER WELL CONTRACTOR	1100
of this report are to be	ELL REPORT UMAT) 2N/33 Gac
filed with the STATE ENGINEER, SALEM, OREGON 97310 Within 30 days from the data	of oregon 894 State Well No. 277/35 8
within 30 days from the date of well completion	ype or print)
of well completion. ENGING not write	State Permit No.
W. Cremout	G50
(1) OWNER:	(11) LOCATION OF WELL:
Name Robert Ollean	County Umatilla Driller's well number
Address RY 1 Box 11,38 A1	14 14 Section 8 T. 1 M R. 33 E. W.M.
Pendlelan, Megen 97801	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon	3 7
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing 6"
Rotary Driven Domestic Industrial Municipal Domestic	Diameter of Well below casing
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	
CASING INSTALLED: Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
CASING INSTALLED: Threaded Welded Wel	with at least one entry for each change of formation. Report each change
" Diam. fromft. toft. Gage	in position of Static Water Level as drilling proceeds. Note drilling rates.
" Diam, fromft. toft. Gage	MATERIAL From To SWL
DEDECDAMIONG	Topsie 0 5
PERFORATIONS: Perforated? Yes Seno.	Bollder & clay 5 10
Type of perforator used	
Size of perforations in. by in.	Rock, med Kand 18 25
perforations from ft. to ft.	Rock + Shale black 90 103
perforations from ft. to ft.	(sopt water having)
perforations from ft. to ft.	Rock Land black 103 123
perforations fromft. toft.	Rock Swawn 123 142
perforations from ft. to ft.	Rock, gran med hard 142 152
(7) SCREENS: Well screen installed? Yes XNo	Bosach 152 156
Manufacturer's Name	
Type Model No	
Diam Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	
(8) WATER LEVEL: Completed well.	
Static level 49 ft. below land surface Date / 1/2/62	
sian pressure lbs. per square inch. Date	
lowered below static level	
Was a pump test made? The Yes 'Skino If yes, by whom?	
d: gal./min. with ft. drawdown after hrs.	Work started 9-27 1967 Completed 9-30 1967
" " " " " " " " " " " " " " " " " " " "	Date well drilling machine moved off of well 1967
" " " " " " " " " " " " " " " " " " "	Drilling Machine Operator's Certification:
Bailer test 60 gal./min. with 50 ft. drawdown after / hrs.	This well was constructed under my direct supervision. Moto
Artesian flow g.p.m. Date	rials used and information reported above are true to my best knowledge and belief.
Temperature of water Was a chemical analysis made? ☐ Yes ☐ No	[Signed] : 1 roy 1 ruff Date 16-2, 1967
	(Drilling Machine Operator)
(10) CONSTRUCTION: Well seal—Material usedCliment	Drilling Machine Operator's License No
- A	
Depth of seal ft. Diameter of well bore to bottom of seal in.	Water Well Contractor's Certification:
***	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
were any loose strata cemented off? ☐ Yes ☐ No Depth Was a drive shoe used? ☐ Yes ☐ Yo	NAME TROY GRIFFIN
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 925 HERMISTON AVE, HERMISTON ORE
Method of sealing strata off	(and b) - 11 -
	[Signed] Water Wall Contractor
	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 63 Date 10-2, 1967