File Original and	LL REPORT State Well No. 5/405	-3/38-8L1	
File Original and Duplicate with the STATE ENGINEER, SALEM, OREGON APR 4 1950 STATE OF	E OF OREGON V 100 State Permit No. G-1280		
(1) OWNER: Name LaGrande Cemetery Maint. Dist.	(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? ✓ Yes □ No If yes, by whom?		
Address LaGrande, Ore.	Yield: 20 gal./min. with 80 ft. drawdown after	3 hrs.	
(2) LOCATION OF WELL:	"	10	
County Union Owner's number, if any—	Bailer test gal./min. with ft. drawdown after Artesian flow g.p.m. Date	hrs.	
NE 14 SW 14 Section 8 T.3S R.38 E W.M.	Temperature of water Was a chemical analysis made?	es 🗷 No	
Bearing and distance from section or subdivision corner	0.6		
40 ft. South and 25 ft. West from the center of Section 8, Tp 3s. R38E.W.M.	(12) WELL LOG: Diameter of well 8-6 Depth drilled 135 ft. Depth of completed well 120	inches.	
	Formation: Describe by color, character, size of material and strushow thickness of aquifers and the kind and nature of the mater	ucture, and ial in each	
7)	stratum penetrated, with at least one entry for each change of	formation.	
\	MATERIAL FROM	то	
TYPE OF WORK (check):	Topsoil 0	2	
Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	Gravel & boulders 28 Clav with gravel patches 28	2 8) 96	
labandonment, describe material and procedure in Item 11.	Sand & clay 96	90	
PROPOSED USE (check): (5) TYPE OF WELL:	Clay with gravel patches 99	135	
stic Industrial Municipal Rotary Driven	Most of water flow from		
tion Z Test Well Other Dug Bored	23 to 28 feet	<u> </u>	
(6) CASING INSTALLED: Threaded □ Welded Z	Possibly some more in the	 	
8." Diam. from	70 100 0 S and	 	
6." Diam. from			
5." Diam. from 58 ft. to 120 ft. Gage 1W			
(7) PERFORATIONS: Perforated? To Yes			
Type of perforator used <u>cutting</u> torch			
SIZE of perforations 3/32 in. by 3-4 in.			
perforations from 26 ft. to 56 ft. perforations from 80 ft. to 100 ft.			
perforations fromft. toft.			
perforations from ft. to ft.			
perforations from ft. to ft.		 	
SCREENS: Well screen installed ☐ Yes ₩ No			
acturer's Name			
pe			
Diam. Slot size Set from ft. to ft.	Tob 3 1050 Garage Toron	10. 4550	
'ám. Slot size Set from ft. to ft.	Work started Feb.l 1959. Completed June]	0 1959	
(°) CONSTRUCTION:	(13) PUMP:		
well gravel packed? Yes No Size of gravel:	Manufacturer's Name Fairbanks Morse HP 5		
Gravel placed from	Type: submersible H.P. 5	***************************************	
Was a surface seal provided? X Yes No To what depth? ft. Material used in seal— COncrete	Well Driller's Statement:		
Did any strata contain unusable water? Yes No	This well was drilled under my jurisdiction and this report is		
Type of water? Depth of strata	true to the best of my knowledge and belief.		
Method of sealing strata off	NAME CORRIELL'S (Person, firm, or corporation) (Type or print)		
(10) WATER LEVELS:	Address LaGrande, Ore.		
Static level 12 ft. below land surface Date 7-1-59	- 1.7		
Artesian pressure lbs. per square inch Date	Driller's well number		
Log Accepted by: La Grande Cemetery Main. Dist. [Signed]			
[Signed] Centrologiate 4/1			
Manager/	1 200000 110	, 1J	

ORIGINAL