NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report WATER WEI	L REPORT Unio 1148		,	
are to be filed with the C C I V C D		ED 3	s/38	PE-25
WATER RESOURCES DEPARTMENTLY L. I V L. STATE OF SALEM, OREGON 97310 (Please type	1 . / L <sup>*</sup> ISL			à
within 30 days from the date $hp_0 21980$	V 1 State Perints	No	/	
WATER RESOURCES DEPT	WATER RESOURCES	DEPT		
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WHLIOREGON			
	County NW, 'CN' Driller's well number 79-8			
Name Lloy D BROWSON Address Box 134				
Address Box 1360 NLNiow, ORg. 97883				<b>W.M</b> .
(2) TYPE OF WORK (check):	Bearing and distance from section or subdiv			
New Well 20 Deepening [] Reconditioning [] Abandon []	1300f w & 1300 (TS OS SEDS T35 R 38R wm	N'E C	ONER	01.
If abandonment, describe material and procedure in Item 12.				
	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		-20-	<u>ft.</u>
Rotary     D     Driven     D       Cable     Detted     D     Domestic     Industrial     Municipal	Static level 8 ft. below land	l surface.	Date 9-	24-79
Dug 🔄 Bored 🗌 Irrigation 💢 Test Well 🗌 Other 🗌	Artesian pressure lbs. per squ	are inch.	Date	
(5, CASING INSTALLED: Threaded D Welded	(12) WELL LOG: Diameter of well			
14 "Diam. from ft. to _2.48 ft. Gage _3.12				en e
" Diam. from ft. to ft. Gage	Depth drilled 248 ft. Depth of com		<u>F</u> (	<u>ft.</u>
	Formation: Describe color, texture, grain size and show thickness and nature of each stra			
	with at least one entry for each change of form	nation. Rej	port each	change in
(b) PERFORATIONS: Perforated? [] Yes & No.	position of Static Water Level and indicate pr		ater-bearn	ig strata.
Type of perforator used GeteRy	MATERIAL	From	To	SWL
Size of perforations 1/2 /n. by 3 in.	TOP Soil	-c	4	
23.60 perforations from 155 tt. to 248 tt.	CLAY DigNAShich	+ 4	6	
perforations from ft. to ft.	Chay BROWN	4	9	
perforations from ft. to ft.	Chay Ashy Black	- 7	37	
(7) SCREENS: Well screen installed?  Yes X No	SAND Coupses	27	38	<u> </u>
Manufacturer's Name	OPUVEL & SAND	28	40	
Type Model No	CLAY BROWN	100	73	4.57.
Diam Slot size Set from ft. to ft.	OPAVEL MED	73	7.5	,
Diam Slot size Set from ft. to ft.	CLAY SAN AN	75	85	
(2) WFII TESTS. Drawdown is amount water level is	gPAUSI MED A/CLAY STKS	85	105	
(6) WHILL HESTS. lowered below static level	GRAVEL MED	105	130	
Was a pump test made? Yes No If yes, by whom?	BASAIT GRAY ROTTEN	130	135	<u>_</u>
gal./min. with ft. drawdown after hrs.	CLAY W SAWDE QUAVET	135	150	
,	grovel med w/ Chay STKS,	150	206	
······································	Chay gory	206	217	<del></del>
Bailer test 120 gal./min. with 12 ft. drawdown after 2 hrs.	Charles all strates	217	230	
Artesian flow g.p.m.	CLAVEL MED CLAY ODAY W/SPUD STYS	230	248	
, perature of water Depth artesian flow encountered ft.	Work started O_ 18 19 79 Comple		//) / C	10.70
	Date well drilling machine moved off of well		<u>19-18</u> 0 0	<u>1979</u>
(9) CONSTRUCTION:	Date wen drining machine moved on of wen		2-18	19 79
Well seal-Material used BTLAM D CEMEN'T	Drilling Machine Operator's Certification			
Well sealed from land surface to	This well was constructed under m Materials used and information reporte			
Diameter of well bore to bottom of seal	best knowledge and belief.			-
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)	Date	12-26	2, 19 <i>.</i> 7.9
Number of sacks of cement used in well seal	Drilling Machine Operator's License No	100	0	
How was cement grout placed? ParmptD			l	
	Water Well Contractor's Certification:		ν	
	This well was drilled under my juris		nd this r	eport is
Was a drive shoe used? 🗌 Yes 🤦 No Plugs Size: location ft.	true to the best of my knowledge and belief. Name CURTRICHT. IPP. SEP.			
Did any strata contain unusable water? 🗌 Yes 🧏 No	Name CCURTRIGHT IRP. SER. (Person, 4irm or corporation) (Type or print)			
Type of water? depth of strata	Address PT. 1. Bax 16 85 1. Hg PANA	IF, C.Kg		000
Method of sealing strata off	[Signed Inight J. Stack-	-		
Was well gravel packed? 🕅 Yes 🗌 No Size of gravel:	(Water Well Cor	itractor)	-	
Gravel placed from 20 ft. to 248 ft.	Contractor's License No. 76.4 Date	12-	20	., 19.79
	IEETS IF NECESSARY)			*45656-119

SP\*456