NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 CT 2 \$ 1977 (Please type or print) within 30 days from the date

STATE OF OREGON

State Well No. State Permit No. .

within 30 days from the date of well completion.

WITTE RESCURCES not write above this line)

VIKIER RESOURCE				
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:			•
Name Stanley Weishaar	County Union Driller's well n	umber	1	
Address Route 2, Box 2689	SW 14 NE 14 Section 6 T. 35	R.	39 E	. W.M.
LaGrande, Oregon 97850				• **.191.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis			
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	Approx. 1200' E & 100' N fro	m SW C	corner	01
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed w		20	
	Depth at which water was first found 20 ft.			
Cable	Static level 20 ft. below land	surface.	Date 9/6	<u>5/77 </u>
Dug	Artesian pressure lbs. per square inch. Date			
CASING INSTALLED: Threaded Welded 16 Welded 15 tt. to 220 ft. Gage 250	(12) WELL LOG: Diameter of well below casing 26 Depth drilled 345 ft. Depth of completed well 220 ft.			
"Diam. from				
	Formation: Describe color, texture, grain size and show thickness and nature of each stratu			
	with at least one entry for each change of forma	tion. Rep	ort each	change in
PERFORATIONS: Perforated? ☑ Yes ☐ No.	position of Static Water Level and indicate prin	cipal wa	ter-bearii	ng strata.
pe of perforator used Machine	MATERIAL	From	То	SWL
Size of perforations 1/8 in. by 2 in.	Clay blue	0	14	
6240 perforations from 70 ft. to 200 ft.	Clay brown sandy	14	25	
perforations from ft. to ft.	Clay brn sandy & gravel	25	30	
perforations from ft. to ft.	Sand and gravel	30	65	
(7) SCREENS: Well screen installed? ☐ Yes । No	Sand brown & gravel & clay	65	70	
	Gravel and sand	70	88	
Manufacturer's Name	Clay sandy soft brown	88	93	
Type Model No.	Gravel and sand	93	110	
Diam. Slot size Set from ft. to ft.	Clay brown soft	110	112	
Diam. Slot size Set Holl It. W	Clay blue soft	112	122	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Gravel little cemented	122	136	
	Clay gray	136 147	147 155	
Was a pump test made? Yes No If yes, by whom?	Gravel little cemented	155	197	
Yield: gal./min. with ft. drawdown after hrs.	Sandstone green and clay	197	206	
	Sandy clay blue	206	250	
" " "	Clay & gravel some sand	250	270	
Bailer test 100 gal./min. with 20 ft. drawdown after 4 hrs.	Clay blue some gravel	270	320	
Artesian flow g.p.m.	Sandy clay green	320	345	
aperature of water Depth artesian flow encountered ft.	Work started 9/2 19 77 Complete	ed	9/6	1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well		9/6	1977
Well seal—Material usedCement	Drilling Machine Operator's Certification:			
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported			
Diameter of well bore to bottom of sealin.	best knowledge and belief.	above (are mue	: W HIY
Diameter of well bore below seal26 in.	[Signed] Steve Moore	Date	0/19	., 19.77.
Number of sacks of cement used in well seal	(Drilling Machine Operator)		755	•
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		ل.رين	
Brand name of bentonite	Water Well Contractor's Certification:	1		
Number of pounds of bentonite per 100 gallons		iction er	id thie =	enort is
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Steve Moore			
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print) P. O. Drewer P. Moses Lake Wo. 08827			
Type of water? depth of strata	Address			
Method of sealing strata off	[Signed] Stew Moore		*	,
Was well gravel packed? ☑ Yes ☐ No Size of gravel:1/4	(Water Well Contr		·	_
Gravel placed from $\frac{18}{1}$ ft. to $\frac{345}{1}$ ft.	Contractor's License No628 Date	• •	10/19	1977.