NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the


WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)



(1) OWNER:	(10) LOCATION OF WELL:	
Name Western States Land Company	County Union Driller's well nur	nber 4
Address 3571 Helms Drive	NE 34 SW 34 Section 30 T. 3 S.	<u>к. 39 Е. w.м.</u>
Jefferson. Oregon 97352	Bearing and distance from section or subdivision	n corner
(2) TYPE OF WORK (check):		
New Well ☑ Deepening □ Reconditioning □ Abandon □		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	11.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	
	7 10	/ /33 /00
C > Domestic Industrial Municipal	Static level 1t. below land su	
i ☐ Bored ☐ Irrigation ☑ Test Well ☐ Other ☐	Artesian pressure lbs. per square	inch. Date
Threaded □ Welded □ 16 " Diam. from +1	(12) WELL LOG: Diameter of well be pepth drilled 145 ft. Depth of comple formation: Describe color, texture, grain size an and show thickness and nature of each stratum with at least one entry for each change of formati	ted well 145 ft. nd structure of materials; n and aquifer penetrated,
) PERFORATIONS: Perforated? ☑ Yes ☐ No.	position of Static Water Level and indicate princ	ipal water-bearing strata.
Type of perforator used Machine	MATERIAL	From To SWL
3/16 2	Top soil	0 1
Size of perforations 37 18 in. by 2 in. 432 perforations from 42 ft. to 51 ft.	Clay	1 20
1600 ER UK	Sand	20 28
Old 124	Clay	28 37
912 perforations from 115 ft. to 154 ft.	Sand	37 40
(7) SCREENS: Well screen installed? ☐ Yes ☒ No	Clay	40 42
Manufacturer's Name	Sand	42 53
Type Model No	Clay	53 58
Diam Slot size Set from ft. to ft.	Sand 9 2	58 68
Diam. Slot size Set from ft. to ft.	Clay	68 71
O) WELL TECTS. Drawdown is amount water level is	Sand S	71 94
lowered below static level	Clay O & TT	94 116
a pump test made? Yes No If yes, by whom? Courtright	Sand 30 20 20 20 20 20 20 20 20 20 20 20 20 20	116 134
Yield: 670 gal./min. with 52 ft. drawdown after 24 hrs.	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	134 145
y " " " " " " " " " " " " " " " " " " "	- Z	
" " "		-
P-iler test gal./min. with ft. drawdown after hrs.	3	
esian flow g.p.m.		
	Work started 4/11 19 80 Complete	a 4/11 1980
mperature of water Depth artesian flow encountered rt.		4/12 19 80
(9) CONSTRUCTION:	Date well drilling machine moved off of well	.,
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported best knowledge and belief. [Signed] (Drilling Machine Operator) Drilling Machine Operator's License No.	above are true to my $5/2$, 1980
	Water Well Contractor's Certification:	,
	This well was drilled under my jurisdictrue to the best of my knowledge and beli	
Was a drive shoe used? Yes Mo Plugs Size: location ft.	Name Steve Moore	
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address P. O. Drawer P, Moses L	ake, wa. 9003(
Method of sealing strata off	15 - Moore	
Was well gravel packed? ✓ Yes ✓ No Size of gravel:3/8	[Signed] (Water Well Contra	ictor)
	Contractor's License No Date	5/2 , ₁₉ 80
Gravel placed from18	Olimator b Laceline 110 Date	10