filed with the	CAL EXPORT APR 3 0 1973 State Well No. 25 38 5-23
OF A THE BALCINEED SALES ODECON 07910	bove this thine FM OREGON ^{State} Permit No.
(1) OWNER :	(10) LOCATION OF WELL:
Name James E. Kleen	County Line Driller's well number
Address Rt 1 Bond 188 La Grande, Que	HE 1/2 SW/4 Section 23 T. 25 R. 385 W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision corner
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	
	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found / 3 0 ft.
Rotary Driven Cable Jetted Domestic distribution Municipal	Static level 18 ft. below land surface. Date GPAN 9
Dug 🔂 Bored 🔲 Irrigation 🗋 Test Well 🗌 Other 🗌	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded D Welded	(12) WELL LOG: Diameter of well below casing
the second s	Depth drilled $\cancel{156}$ ft. Depth of completed well $\cancel{156}$ ft.
" Diam. from	Formation: Describe color, texture, grain size and structure of materials;
Diam. from	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Ves D No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used Torch	MATERIAL From To SWL
Size of perforations 3/1/ in. by 6 in.	GYAVEL MED CLAY 125/38
Ide perforations from 1 2 tt. to 1 3 8 tt.	CYAV
1.0 perforations from $1.3.8$ ft. to $1.5.6$ ft.	GUAVEL MED 138148
Perforations from	Some WATER
	61412L MEd 148156
(7) SCREENS: Well screen installed? Yes No	WATEYBEARING
Manufacturer's Name	
Type Model No	
Diam Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
, <u> </u>	
<u> </u>	
Bailer test 4 8 gal./min. with 7 4 rt. drawdown after / hrs.	
Artesian flow g.p.m.	
perature of water 5/ Depth artesian flow encountered	Work started april 7 1973 Completed april 7 1975
	Date well drilling machine moved off of well Physicil 9 1973
(9) CONSTRUCTION:	
Well seal-Material used Benchruck	Drilling Machine Operator's Certification:
Well sealed from land surface to ft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal	best knowledge and belief.
Diameter of well bore below seal	[Signed] (Drilling Machine Operator) Date 4/10/1973
Number of sacks of cement used in well seal	Drilling Machine Operator's License No.
Number of sacks of bentonite used in well seal	
Brand name of bentonite Premi-hims Kell	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of water	true to the best of my knowledge and belief.
Was a drive shoe used? Ves No Plugs	Name (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Ves No	(Person, firm or corporation) (Type or print) Address 4034 and La Jrande, Cle,
Type of water? depth of strata	Address A A A A A A A A A A A A A A A A A A
Method of sealing strata off	[Signed]
Was well gravel packed? [] Yes [] No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 29 Date april 10, 1973
(USE ADDITIONAL SH	IEETS IF NECESSARY) SP*45656-119

SP+45656-119

J