NOTICE TO WATER WELL CO The original and first c of this report are to b filed with the

Gravel placed from .

state engineer, salem, SECANDE ENGINEER ease type or print) within 30 days from the data. within 30 days from the daga LEM OREGON



State Permit No.

of well completion.	ove this line)	•	
(1) OWNER:	(10) LOCATION OF WELL:		
Name Samao E. Klein	County Driller's well nu	ımber	
Address Pt 1 BOX 188 La Grande Origin	145W 14 Section 23 T.25	R. 378 W.M.	
	Bearing and distance from section or subdivisi	on corner	
(2) TYPE OF WORK (check):			
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	2_ ft.	
Rotary Driven Domestic Industrial Municipal		surface. Date Wan. 15	
Cable Jetted	Artesian pressure lbs. per squar		
	Artesian pressure ins. per squar	t men. Date	
CASING INSTALLED: Threaded Welded Welded	(12) WELL LOG: Diameter of well k	pelow casing	
"Diam. from tt. to for tt. Gage	Depth drilled / 2 6 ft. Depth of compl	eted well / 25 ft.	
# " Diam. from 98 ft. to 25 ft. Gage	Formation: Describe color, texture, grain size a	and structure of materials;	
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin		
Type of perforator used Cutting Torch	MATERIAL	From To SWL	
Size of perforations 3/, in. by 6 in.	SOIL GRAY	0 2	
11.0	GANVELCOARSE	1 /-2	
perforations from the to to the ft. To perforations from the ft. to 2.5 ft.	CRAVEL MEd. CLAY	12 14	
	WATER BRINN	11	
perforations from ft. to ft.	GRAVEL CHARSECLAY	14 26.	
(7) SCREENS: Well screen installed? Yes You	BATUN		
Manufacturer's Name	SAME	26 40	
Type Model No	GRAVE med, WATER	40 58	
Diam. Slot size Set from ft. to ft.	" COMARO CLAY BROWN	58 72	
Diam. Slot size Set from ft. to ft.	SAME	7291	
(8) WELL TESTS: Drawdown is amount water level is	MEL BRAKEL WATER	91/06 9	
lowered below state level	BEARING	106 116	
Was a pump test made? Tyes No If yes, by whom?	GRAVEL MED CHAY GRAY	06 116	
Yield: gal./min. with ft. drawdown after hrs.	GRAVEL MED CLAY	116 125	
. " " "	BRAV	/ · • / • -	
<u> </u>	SOME WATER		
Bailer test 54 gal./min. with 24 ft. drawdown after / hrs.			
Artesian flow g.p.m.			
inperature of water 5/ Depth artesian flow encountered ft.	Work started March L. 197 2_Complete	ed March 15 1972	
(9) CONSTRUCTION:	Date well drilling machine moved off of well		
	Drilling Machine Operator's Certification:		
Well seal-Material used Bentonic	This well was constructed under my	direct supervision.	
Well sealed from land surface to ft.	Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore to bottom of seal	1 70 70 10 10 10 10 10 10 10		
Diameter of well bore below seal	[Signed] Date Man Date Date (Drilling Machine Operator)		
Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No		
Brand name of bentonite Prem- un sel			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of water 150 lbs./100 gals.	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	true to the best of my knowledge and belief. Name OCTAVAY		
Did any strata contain unusable water? Yes No	Name (Person, firm of corporation) (Type or print)		
Type of water? depth of strata	Address 403 nave . La Grande Cligen		
Method of sealing strata off	100		
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	[Signed] (Water Vell Contr	actor)	
Gravel placed fromft. toft.	Contractor's License No. 29 Date	1 arch / 6 197	