NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

STATE OF OREGON WATER WELL REPORT

STATE OF OREGON

(Please type or print)

Nn033	State Well No. 35/37E-6	2 KC
	State Permit No	***********

of well completion.	Unio 733			
(1) OWNER:	(10) LOCATION OF WELL:			<u></u>
Name FOSTER PLUMBING.	County UNION Driller's well no	umber		
Address 114 S RIVER ENTERPRISE			37E	WW
ORE				** . 242.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisi	on corne	r	
New Well Deepening □ Reconditioning □ Abandon □				
f abandonment, describe material and procedure in Item 12.				
	(11) WATER LEVEL: Completed w	ell.		_
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		18%	7 st.
totary Driven Domestic Industrial Municipal	Static level ft. below land s	surface.	Date	
Lable				1.1
	Artesian pressure 5 lbs. per squar	e men.	Date 6	<u> [22]</u> 79
5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well h		•	` رح
8 Diam from + 2 ft. to 28 ft. Gage 250				
6 " Diam from 20 ft to 200 ft Gage 250	Depth drilled 200 ft. Depth of compl			00 ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratus			
	with at least one entry for each change of forma	tion. Rep	ort each	change in
6) PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal wat	ter-bearin	ng strata.
ype of perforator used TORCH	MATERIAL	From	То	SWL
lize of perforations Un. by H in.	TOP COU	0	2	
160 perforations from 160 ft. to 200 ft.	Barrier Clay		-	
perforations from ft. to ft.	Bowlood	1	16	
	GRAY BASALT	2	86	
perforations from ft. to ft.		10	00	
7) SCREENS: Well screen installed? Yes X No	- BLACK YSASALL	86	112	
Sanufacturer's Name	COOL NOCALE	127	160	
ypeModel No.	SASALT,	100	100	WHIE
Diam. Slot size Set from ft. to ft.	Soft Kock	100	778	سراحا
Diam. Slot size Set from ft. to ft.	ISLACK ISASALT	177	200	
John Stot Size Set Holl 1t. to 1t.		 		
8) WELL TESTS: Drawdown is amount water level is lowered below static level				
	0 = 1070			
Vas a pump test made? Yes No If yes, by whom?	JULE 1/2 1979	 		
eld: /20gal./min. with /2/ft. drawdown after /2 hrs.	WATER RESOURCES DEPT	 		-
(n n n	SALEM, ORLGON			
n " " " "	Application and the second and the s			
sailer test gal./min. with ft. drawdown after hrs.		ļ		
vesian flow 20 g.p.m.				
emperature of water 56 Depth artesian flow encountered	Work started 6/819 Complete	. b:	42	3 19/7
9) CONSTRUCTION:	Date well drilling machine moved off of well		4/9	1979
() ,	Drilling Machine Operator's Contidentian	_	700	
100	Drilling Machine Operator's Certification: This well was constructed under my	direct	ellmor	vision
Fell sealed from land surface toft.	Materials used and information reported			
niameter of well bore to bottom of sealin.	best knowledge and belief.		./	0
iameter of well bore below seal	[Signed]	Date	6/24	19/
fumber of sacks of cement used in well seal sacks	(Drilling Machine Operator)	4	クゴ	
umber of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.	/	Z Q	
rand name of bentonite	Water Well Contractor's Certification:			
umber of pounds of bentonite per 100 gallons	·	_4.		•
! water lbs./100 gals.	This well was drilled under my jurisdi- true to the hest of my knowledge and beli	ction an	a this re	eport is
as a drive shoe used? 🗌 Yes 🙀 No Plugs Size: location ft.	- Ila A Ibillia	- C	%	
id any strata contain unusable water? Yes No	Name (Pelson, firm or corporation)	(T y	pe of pin	t)
ype of water? depth of strata	Address	1	16/2	4NDE
of sealing strata off				
	[Signed]			
vel packed? Yes No Size of gravel:	(Water Well Contra	ACTOY)	16.	/
ed from ft. to ft.	Contractor's License No Date		6/24	, 19.7.