NOTICE TO WATER WELL CONTRACTO

The original and first copy
of this report are to be
filed with the

RECEIVED

REGELINE D-V

138-3 R

state Well No. .....

STATE ENGINEER, SALEM, OREGON STATE ENGINEER

within 30 days from the date
of well completion.

STATE ENGINEER, OREGON STATE ENGINEER

WITHIN 30 CANADA OREGON STATE ENGINEER

OF WELL OREGON STATE Permit No.

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water lowered below static level	evel is
Name La Grande Country Club	Was a pump test made? Yes 🖂 No If yes, by whom? Co	
Address La Grande, Oregon	Yield: 408 gal./min. with 24 ft. drawdown afte	r 1 hrs.
	. 1,170 . 54	12
(2) LOCATION OF WELL:	1,556 78	24 "
County IInion Driller's well number 31	Bailer test gal./min. with ft. drawdown aft	er hrs.
NW 34 NE 34 Section 3 T. 38 R. 38E W.M.	Artesian flow g.p.m. Date	
Bearing and distance from section or subdivision corner	Temperature of water 54° Was a chemical analysis made?	🗌 Yes 🗶 No
S 15 32' E 2,100 from N 2 corner	(12) WELL LOG: Diameter of well below casing	***************************************
of Sec. 3, T3S R38E	Depth drilled 300 ft. Depth of completed well	300 ft.
	Formation: Describe by color, character, size of material and s	tructure, and
	Formation: Describe by color, character, size of material and s show thickness of aquifiers and the kind and nature of the ma stratum penetrated, with at least one entry for each change	terial in each of formation.
	MATERIAL FRO	м то
(3) TYPE OF WORK (check):		
Very Well Deepening □ Reconditioning □ Abandon □	Large gravel 0	9
pandonment, describe material and procedure in Item 12.	Cemented sand & gravel 9 Sand & gravel (dirty) 21	21 51
<u> </u>	Sand & gravel (clean) 51	77
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay (brown) hard 77	82
Domestic   Industrial   Municipal   Rotary   Driven   Cable   Jetted	Conglomerate (brown) 82	106
rrigation Test Well Other Dug Bored	Cemented sand & gravel	100
(A) CA OTTO TYONATTY	with small breaks 100	6 163
	Conglomerate (brown) hard 163	
16 " Diam. from 0 ft. to 300 ft. Gage • 250	Conglomerate (brown) soft 19	
" Diam. from ft. to ft. Gage	Medium gravel with some	
"Diam. from ft. to ft. Gage	clay 22	2 267
(7) PERFORATIONS: Perforated? Yes No	Conglomerate (brown) hard 26	
Type of perforator used Mills knife		
Size of perforations 3/8 in. by 3 in.		
1,000 perforations from 65 ft. to 285 ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
O) CODEFNG.		
(8) SCREENS: Well screen installed?   Yes  No	Annual Control of the	
Manufacturer's Name		
Model No.		
n Slot size Set from ft. to ft.	Work started 4/3/65 19 . Completed 4/30	)/65 19
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well 4/30/	5 <u>5</u> 19
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal	Parisalar	
Depth of seal ft. Was a packer used?	Manufacturer's Name Berkeley  Type: Turbine H.P.	125
Diameter of well bore to bottom of seal	Type: H.P. H.P.	
Vere any loose strata cemented off?  Yes  No Depth	Water Well Contractor's Certification:	
Vas a drive shoe used? ★ Yes □ No	This wall was drilled under my jurisdiction and th	ie venet ie
Vas well gravel packed? ☐ Yes ▼ No Size of gravel:	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Gravel placed fromft. toft.		
Did any strata contain unusuable water? Tyes Dio	NAME Stoffel Bros. Drilling Co. (Type or print)	
Type of water? SUPTACE depth of strata 3'to 9'	Address Rt 2 Box 78 La Grande Ore.	
Method of sealing strata off Seal		.,
(10) WATER LEVELS:	Drilling Machine Operator's License No349	
AND THE PERSON AND TH	[Signed] Robert Y Staffe!	
Static level 5 ft. below land surface Date $6/25/65$	(Mater Well Contractor)	,
artesian pressure lbs. per square inch Date	Contractor's License No. 415 Date 6/30/65	, 19