

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON, within 30 days from the date of well completion.

RECEIVED Union 7/11 SEP 28 1966

WATER WELL REPORT

RECEIVED Union 7/11 SEP 28 1966

State Well No. 3/38-3 L State Permit No.

(1) OWNER:

Name Eldon Gates Address P.O. Box 562 Island City, Oregon

(2) LOCATION OF WELL:

County Union Driller's well number NE 1/4 SW 1/4 Section 3 T. 3.S. R. 38 E W.M. Bearing and distance from section or subdivision corner Housing Subdivision 1 mile South of Island City lot 2

(3) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Dug [] Bored []

(6) CASING INSTALLED:

Threaded [] Welded [] Diam. from 0 ft. to 160 ft. Gage 250 6 1/8 (OP) Diam. from 152.5 ft. to 300 ft. Gage 250

(7) PERFORATIONS:

Perforated? [] Yes [] No Type of perforator used Machine Cut Size of perforations 1/8 in. by 3 in. 1776 perforations from 152.5 ft. to 300 ft.

(8) SCREENS:

Well screen installed? [] Yes [] No Manufacturer's Name Model No. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Cement (40 SKS.) Depth of seal 160 ft. Was a packer used? No Diameter of well bore to bottom of seal 12 1/4 in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [] Yes [] No Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 20 ft. below land surface Date 6/14/66 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 63 gal./min. with 15 ft. drawdown after 8 hrs. Artesian flow g.p.m. Date 6/13/66 Temperature of water 53 Was a chemical analysis made? [] Yes [] No

(12) WELL LOG:

Diameter of well below casing 7 7/8 Depth drilled 300 ft. Depth of completed well 300 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows include Soil (dark topsoil), CLAY BROWN (HARD), CLAY BROWN, GRAVEL Med, GRAVEL FINE, GRAVEL Cemented, GRAVEL FINE Cemented, CLAY BROWN, GRAVEL FINE (water bearing), GRAVEL Med, CLAY BROWN, GRAVEL Med, CLAY BROWN (SANDY), SAND COARSE.

Work started 6/1/66 19 Completed 6/14 1966 Date well drilling machine moved off of well 19

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Intervally Drilling Co. Address P.O. Box 471 Island City, Oregon Drilling Machine Operator's License No. 282 [Signed] Contractor's License No. 398 Date 7/10 1966